View NSN Online: https://aerobasegroup.com/nsn/8040-01-199-5954

DEXTER ADHESIVES AND STRUCTURAL MATERIALS DIVISION -- EA 9602.3 .080 PSF EPOXY RESIN TAPE -- 8040-01-199-5954

============= Product Identification =================

Product ID:EA 9602.3 .080 PSF EPOXY RESIN TAPE

MSDS Date:09/01/1988

FSC:8040

NIIN:01-199-5954

MSDS Number: BHGFT === Responsible Party ===

Company Name: DEXTER ADHESIVES AND STRUCTURAL MATERIALS DIVISION

Address:2850 WILLOW PASS ROAD

Box:312 City:PITTSB

URG State:CA

ZIP:94565-3237 Country:US

Info Phone Num:415-687-4201

Emergency Phone Num:415-687-4201 Preparer's Name:SUZANNE FRANZ

CAGE:33564

=== Contractor Identification ===

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address: 2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299 Country:US

Phone:202-483-7616

CAGE:33564

======= Composition/Information on Ingredients ========

Ingred Name:EPOXY RESIN

Fraction by Wt: 100%?

====== Hazards

Identification ============
LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION AND MAY SENSITIZE ALLERGIC REACTIONS IF CONTACT IS PROLONGED AND/OR REPEATED.
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:MAY CAUSE EYE, SKIN IRRITATION. MAY ALSO
SENSITIZE SOME INDIVIDUALS TO ALLERGIC DERMATITIS. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.
======================================
First Aid:EYE: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP & WATER/WATERLESS CLEANER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. IF IRRITATION PERSISTS SEE A DOCTOR. INH
ALED:UNLIKELY EXPOSURE. INGESTION:UNLIKELY EXPOSURE,IF OCCURRING, GET IMMEDIATE MEDICAL CARE.
======================================
Flash Point Method:TOC Flash Point:>300F,>149C Extinguishing Medic:USE CARRON DIOXIDE FOAM DRY CHEMICAL OR WATER
Extinguishing Media: USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire /Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF DENSE SMOKE AND/OR TOXIC GASSES.
======== Accidental Release Measures ==========
Spill Release Procedures:PICK UP ANY PIECES. Neutralizing Agent:NONE.

========== Handling and Storage ===========

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE ACCORDING

TO LABEL INSTRUCTIONS. STORE AT 0 F FOR 12 MONTHS. Other Precautions: FOLLOW RECOMMENDED CURING SCHEDULE.

==== Exposure Controls/Personal Protection ======== Respiratory Protection: RESPIRATORY PROTECTION WILL NOT NORMALLY BE REQUIRED. IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCT IONS/WARNINGS. Ventilation: NORMAL ROOM VENTILATION IS NORMALLY SUFFICIENT. Protective Gloves: IMPERVIOUS; PLASTIC OR RUBBER Eve Protection: SAFETY GLASSES RECOMMENDED. Other Protective Equipment: AS NEEDED T O PROTECT SKIN AND CLOTHING. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:DECOMPOSES Vapor Pres:NIL Vapor Density:NIL Spec Gravity:> 1 Evaporation Rate & Dr. Reference: NIL Solubility in Water:NIL Appearance and Odor: TAN TAPE, NO ODOR ======== Stability and Reactivity Data =========== Stability Indic ator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, MINERAL ACIDS Stability Condition to Avoid: NONE REPORTED Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE,

NITROGEN OXIDES, ALDEHYDES, ACIDS, UNDETERMINED ORGANIC COMPOUNDS. Conditions to Avoid Polymerization: AVOID HEATING ROLLS OF THE MATERIAL.

======= Disposal Considerations =============================

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS. HMIS SUGGESTS INCINERATION.

Disclai

mer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.