View NSN Online: https://aerobasegroup.com/nsn/6850-01-243-9292

MITA COPYSTAR AMERICA, INC. -- BLACK DEVELOPER FOR DC111, ETC -- 6850-01-243-9292

Product ID:BLACK DEVELOPER FOR DC111, ETC

MSDS Date:03/01/1990

FSC:6850

NIIN:01-243-9292

MSDS Number: BHJKP === Responsible Party ===

Company Name: MITA COPYSTAR AMERICA, INC.

Address:225 SAND ROAD

Box:40008

City:FAIRFIELD (FORMALLY IN HASBROUCK HEIGHTS

State:NJ

ZIP:07004-0008

Country

:US

Info Phone Num:201-808-8444

Emergency Phone Num:201-808-8444

CAGE:0AH08

=== Contractor Identification ===

Company Name: ABM OFFICE SUPPLY CO INC Address: 766 SPIRIT OF SAINT LOUIS BLVD

Box:City:CHESTERFIELD

State:MO ZIP:63005 Country:US

Phone:800-266-5020

CAGE:79775

Company Name: MITA COPYSTAR AMERICA INC

Address:2930-B S FAIRVIEW ST

Box:813

City:SANTA ANA

State:CA ZIP:92704 Country:US

Phone:714-556-0318

CAGE:0AH08

Company Name: MITA INDUSTRIAL CO.LTD; MITA COPYSTAR AMERICA, INC.

Address:777 TERRA

CE AVENUE Box:813 City: HASBROUCK HEIGHTS State:NJ ZIP:07604-3110 Country:US Phone:201-288-6900 CAGE:65678 ======= Composition/Information on Ingredients ======== Ingred Name: IRON OXIDE CAS:1309-37-1 RTECS #:NO7400000 Fraction by Wt: 70% Other REC Limits: NONE SPECIFIED OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5 MG/M3(FE),B2; 9293 Ingred Name:ZINC OXIDE CAS:1314-13-2 RTECS #:ZH4810000 Fraction by Wt: 10% Other REC Limits: NONE SPECIFIED OSHA PEL:15MG/M3 TDUST/5 FUME ACGIH TLV:10MG/M3 TDUST; 9293 Ingred Name: MAGNESIUM OXIDE CAS:1309-48-4 RTECS #:OM3850000 Fraction by Wt: 5% Other REC Limits: NONE SPECIFIED OSHA PEL:15 MG/M3 PARTICULATE ACGIH TLV:10 MG/M3;TDUST; 9293 Ingred Name: CUPRIC OXIDE CAS:1317-38-0 RTECS #:GL7900000 Fraction by Wt: 5%

Other REC Limits: NONE SPECIFIED


OSHA PEL:1 MG CU/M3 ACGIH TLV:1 MG CU/M3

Ingred Name:BLACK TONER FOR DC-111

Fraction by Wt: 10%

Other REC Limits: NONE SPECIFIED

LD50 LC50 Mi



===== Exposure Controls/Personal Protection ======== Respiratory Protection: RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST IF EXPOSURE IS ABOVE THE TLV/PEL FOR NUISANCE DUST. Ventilation: NOT NORMALLY REQUIRED. Protective Gloves:NONE Eye Protection: SAFETY GLASSES Other Protective Equipment: NONE REQUIRED Work Hygienic Practices: USE OF GOOD PERSONAL HYGIENE PRACTICES IS SUFFICIENT. AVOID INHALATION, INGESTION OR SKIN CONTACT IF POSS IBLE. Supplemental Safety and Health BLACK DEVELOPER IS USED FOR MODELS DC-211,213RE,313Z,313ZD,4055,4085,2105. ======== Physical/Chemical Properties ============ HCC:N1 Spec Gravity:POWDER pH:UNKNON Solubility in Water: NEGLIGIBLE Appearance and Odor: FINE BLACK POWDER, PRACTICALLY ODORLESS ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid: NONE GIVEN BY MANUF ACTURER (SUPPLIER). Hazardous Decomposition Products: NONE GIVEN BY MANUFACTURER (SUPPLIER). ======= Disposal Considerations ============ Waste Disposal Methods: DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL PRODUCT WERE ORDINARY REFUSE.

REGULATIONS. DGSC-SSH SUGGESTS THAT DISPOSAL MAY BE DONE AS THOUGH

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unite

d States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.