## 

Product ID:ARDROX 9D4A MSDS Date:10/25/1989 FSC:6850 NIIN:01-264-8682 MSDS Number: BHJTQ === Responsible Party === **Company Name: ARDROX INC** Address:16961 KNOTT AVE City:LA MIRADA State:CA ZIP:90638-6015 Country:US Info Phone Num:714-739-2821 Emergency Phone Num:800-424-9300 CAGE:23373 === Contractor Identification ===

Company Name:BRENT AMERICA, INC. Address:16961 KNOTT AVE. Box:City:LA MIRADA State:CA ZIP:90638-6015 Country:US Phone:714-739-2821 CAGE:23373

Ingred Name:MAGNESIUM OXIDE CAS:1309-48-4 RTECS #:OM3850000 OSHA PEL:15 MG/M3 PARTICULATE ACGIH TLV:10 MG/M3;TDUST; 9293

Ingred Name:PENTAERYTHRITOL CAS:115-77-5 RTECS #:RZ2490000 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9293

======== Hazards Identification =======

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALE: EXPOSURE TO DUST IS IRRITATING TO THE RESPIRATORY TRACT. SKIN: CONTACT WITH THE DUST MAY IRRITATE THE SKIN, CAUSING REDNESS, ITCHING AND PAIN. SYMPTOMS MAY INCLUDE DRYNESS, CHAPPING, AND REDDE NING OF SKIN. EYE: MAY CAUSE SLIGHT TEMPORARY EYE IRRITATION. SWALLOWING USUALLY NOT HARMFUL. Explanation of Carcinogenicity:N ONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. MAINTAIN BREATHING. EYE: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE V OMITING. GIVE LARGE AMOUNTS OF WATER.GET IMMEDIATE MEDICAL ATTENTION. REMOVE ALL CONTAMINATED CLOTHING. Flash Point:NONE Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEA **RBY CONTAINERS EXPOSED TO FIRE.** Unusual Fire/Explosion Hazard: DUST MAY POSE AN UNDEFINED EXPLOSION HAZARD(AS WITH ANY ORGANIC DUST). Spill Release Procedures: MOP, SOAK, OR SHOVEL SPILLED MATERIAL INTO DOT-APPROVED WASTE CONTAAINERS FOR DISPOSAL. Neutralizing Agent:NONE APPLICABLE FOR THIS MATERIAL 

Handling and Storage Precautions:STORE IN COOL, DRY,

WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT AND IGNITION SOURCES. KEEP CONTAINERS CLOSED.

Other Precautions: EMPTY CONTAINERS CAN HAVE RESIDUES, GASES, AND MISTS AND SHOULD BE HANDLED ACCORDINGLY.

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND **NIOSH-RESP IRATOR SELECTION.** Ventilation: MECHANICAL (GENERAL) VENTILATION IS REQUIRED. LOCAL EXHAUST MAY BE REQUIRED IF WORK AREA IS NOT VENTED. Protective Gloves: RUBBER Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. Work Hygienic Practices: WASH THROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Healt h QPL-25135-15

HCC:N1 Vapor Pres: