View NSN Online: https://aerobasegroup.com/nsn/9150-01-131-3325

HULS AMERICA INC. -- 0425906, MIL-H-46170B (AMEND 1) -- 9150-01-131-3325

Product ID:0425906, MIL-H-46170B (AMEND 1)

MSDS Date:03/18/1991

FSC:9150

NIIN:01-131-3325

MSDS Number: BHKMH === Responsible Party ===

Company Name: HULS AMERICA INC.

Address:TURNER PLACE,

Box:365

City:PISCATAWAY

State:NJ ZIP:08854 Country:US

Info Phone Num:201-763-7173

**Emergency Phone Num:2** 

01-763-7173

Preparer's Name: P. A. PARKER

CAGE:0DH22

=== Contractor Identification ===

Company Name: CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS

DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280

Country:US

Phone:800-621-2661/ FAX: 630-241-4140

CAGE:2R128

Company Name: HUL AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:201-763-7173

CAGE:0DHB8

Company Name: HULS AMERICA INC

Address:TURNER PLACE

Box:365

Ci

| ty:PISCATAWAY State:NJ ZIP:08854-0365 Country:US Phone:908-981-5016 CAGE:0DH22 Company Name:HULS AMERICA INC Address:TURNER PLACE Box:365 City:PISCATAWAY State:NJ ZIP:08855 Country:US Phone:201-763-7173 CAGE:63182   |
|---|
| ======= Composition/Information on Ingredients ========   |
| Ingred Name:SYNTHETIC HYDROCARBONS (DIESTER) (THIS INGREDIENT LISTED AS<br>THE 'CHEMICAL FAMILY'. NOT APPLICABLE LISTED AS INGREDIENTS)<br>CAS:103-24-2<br>Other REC Limits:NONE RECOMMENDED  |
| ======================================  |
| Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- LOW ORAL AND DERMAL TOXICITY. MISTS OR FUMES FROM EXCESSIVE HEATING MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION, NAUSEA, VOMITING. CHRONIC-NO INFORMATION GIVEN ON MSDS BY MFR. Explanation of Carcinogenicity:MFR LISTED NO INFORMATION ABOUT THE |
| CARCINOGENICITY OF THIS MATERIAL. HMIS DOES  NOT EXPECT IT TO BE  CARCINOGENIC.   |
| Effects of Overexposure:LOW ORAL AND DERMAL TOXICITY. MISTS OR FUMES FROM EXCESSIVE HEATING MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION, NAUSEA, VOMITING.   |
| Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY MFR.  |
| ======================================  |
| First Aid:EYE:FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN IF  |

First Aid:EYE:FLUSH WITH WATER FOR 15 MINUTES, CALL PHYSICIAN IF IRRITATION DEVELOPES. SKIN:WASH WITH SOAP & WATER. INHALATION:REMOVE

TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. INGESTION:DO NOT INDUCE VOMITING. CALL A PHYSICIAN. Flash Point Method:COC Flash Point:450F,232C Extinguishing Media: WATER FOG, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING FIRE. Unusual Fire/Explosion Ha zard:AVOID SPREADING LIQUID AND FIRE WITH FLOODING AMOOUNT OF WATER. HEATED CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP. Spill Release Procedures: COVER WITH AN INERT ABSORBENT MATERIAL AND REMOVE TO DISPOSAL CONTAINER. Neutralizing Agent: NO INFORMATION GIVEN ON MSDS BY MFR. ============= Handling and Storage ========================== Handling and Storage Precautions: DO NOT USE OIL ABOVE THE MAXI **MUM** RECOMMENDED TEMPERATURE OF 430F. MAY SOFTEN SOME PLASTIC OR PAINT SURFACES. WIPE UP SPILLS IMMEDIATELY. Other Precautions: AVOID SKIN & EYE CONTACT. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: IF OVERHEATED USE NIOSH-APPROVED RESPIRATORYPROTECTIVE EQUIPMENT. Ventilation: MECHANICAL (GENERAL) AND/OR LOCAL EXHAUST RECOMMENDED. Protective Gloves: IMPERMEABLE GLOVES. Eye Protection: CHEMICAL SPLASH GOGGLES OR FACE SHIELD Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Work Hygienic Practices:MFR: ? HMIS:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health KEY2:KT ========= Physical/Chemical Properties ===========

HCC:V6

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:>600F,>316C

Spec Gravity: