View NSN Online: https://aerobasegroup.com/nsn/6505-01-153-3440

MALLINCKRODT INC. SCIENCE PRODUCTS DIVISION -- 5543-30, FERRIC SUBSULFATE 6505-01-153-3440 Product ID:5543-30, FERRIC SUBSULFATE MSDS Date:04/06/1989 FSC:6505 NIIN:01-153-3440 MSDS Number: BHKMJ === Responsible Party === Company Name: MALLINCKRODT INC. SCIENCE PRODUCTS DIVISION Address: PARIS BYPASS Box:M City:PARIS State:KY ZIP:40361 Country:US Info Phone Num:31 4-982-5000 Emergency Phone Num:314-982-5000 CAGE:62910 === Contractor Identification === Company Name: MALLINCKRODT SPECIALTY CHEMICALS CO Address:222 RED SCHOOL LANE Box:City:PHILLIPSBURG State:NJ ZIP:08865 Country:US Phone:908-859-2151 CAGE:62910 

Ingred Name:FERRIC SUBSULFATE (MONSEL'S SOLUTION) CAS:1310-45-8 Fraction by Wt: 100.00% OSHA PEL:1 MG/CUM FE SALTS ACGIH TLV:1 MG/CUM FE SALTS

====== Hazards Identi

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: EYE AND SKIN MAY CAUSE MECHANICAL IRRITATION. CHRONIC:NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure: EYE AND SKIN: NO ADVERSE EFFECTS EX PECTED BUT SPLASHES MAY CAUSE MECHANICAL IRRITATION. INHALATION: NO ADVERSE EFFECTS EXPECTED. Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS OR EYE PROBLEMS, OR IMPAIRED LIVER, KIDNEY OR RESPIRATORY FUNCTIONS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THE SUBSTANCE. First Aid:INHALATION:REMOVE TO FRESH AIR.GET MED HELP.EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.G ET MEDICAL HELP.SKIN:WASH WITH SOAP & WATER.GET MED ADVICE IF IRRITN DEVELOPS.INGESTION: INDUCE V OMIT BY GIVING 2 GL OF WATER.NOTHING BYMOUTH TO UNCON Extinguishing Media: USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA WITH FULL FACEPIECE OPERATED IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE. WEAR FULL PROTECTIVE EQUIPMENT Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. NOT CONSIDERED TO BE EXPLOSIVE. 

Spill Release Procedures:SMALL SPILL: WIPE/SOAK UP WITH PAPER TOWEL OR INERT ABSORBENT.PUT IN DISPOSAL CONTAINER.LARGE SPILL:EVACUATE AND VENTILATE AREA.IF POSSIBLE,STOP LEAK.DIKE TO RETAIN RUN OFF.VACUUM UP FREE LIQUID.ABSOR B WITH ABSORBENT.KEEP IN COVER

## ED CONTAINERS. Neutralizing Agent:NOT APPLICABLE.

======================================
<ul> <li>Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA.KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.PROTECT CONTAINERS FROM PHYSICAL DAMAGE,FREEZING,SUNLIGHT.</li> <li>Other Precautions:DO NOT BREATHE MIST.AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.</li> </ul>
======================================
Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE AND DUST/MIST PRE-FILTER RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/ WARNINGS AND NIOSH-RESPIRATOR SELECTION.
Ventilation:MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE. LOCAL EXHAUST MAY BE REQUIRED IF WORK AREA NOT VENTED. Protective Gloves:NEOPRENE,
NITRILE, PVC OR NATURAL RUBBER Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.APRON REQUIRED.
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health SYNONYMS: FERRIC SULFATE BASIC SOLUTION; IRON HYDROXIDE SULFATE; MONSEL'S SOLUTION.
======================================
HCC:N1 Spec Gravity:1.54 Solubility in Water:COMPLETE Appearance and Odor:REDDISH BROWN LIQUID;ODORLESS
======================================
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:TEMPERATURES EXTREMITIES.LIGHT SENSITIVE Hazardous Decomposition Products:OXIDES OF SULFUR AND THE CONTAINED METALS.
======================================
Waste Disposal Methods: DISPOSAL SHOULD BE MADE IN ACCORDA

NCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respons ibility for the suitability of this information to their particular situation.