View NSN Online: https://aerobasegroup.com/nsn/8040-00-463-7042

DIAL CORP THE -- EA 956 PART A -- 8040-00-463-7042

Product ID:EA 956 PART A MSDS Date:01/10/1989

FSC:8040

NIIN:00-463-7042

Kit Part:Y

MSDS Number: BHMPT
=== Responsible Party ===
Company Name PIAL CORP.

Company Name: DIAL CORP THE

Address:1865 DIAL TOWER

Box:312

City:PHOENIX

State:AZ

ZIP:85077-1865 Country:US

Info Phone Num:602-991-3000

Emergency Phone Num:602-991-3000

CAGE:0EK45

=== Co

ntractor Identification ===

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

Company Name:DIAL CORP THE Address:111 W CLARENDON AVE

Box:3223 City:PHOENIX State:AZ

ZIP:85077 Country:US

Phone:602-991-3000

CAGE:0EK45

======= Composition/Information on Ingredients ========

Ingred Name:TRIGLYCIDYL P-AMINOPHENOL EPOXY RESIN

CAS:5026-74-4

Fraction by Wt: 300F 14

9C

Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINQUISHER OR WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS.

Unusual Fire/Explosion Hazard: DENSE SMOKE AND TOXIC GASSES MAY BE LIBERATED.

========== Accidental Release Measures ==============

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES. COVER WITH ABSORBENT MATERIAL, THEN SCRAPE UP AND

TRANSFER TO METAL CONTAINER. WIPE UPREMAINING RESIDUE WITH SOLVENTS OBSERVING SOLVENT FLAMMABILITY CAUTIONS OR USE DETERGENT.

=========== Handling and Storage ===============

Handling and Storage Precautions: KEEP PRODUCT COOL IN ACCORDANCE WITH LABEL INSTRUCTIONS.

Other Precautions: FOLLOW RECOMMENDED CURING SCHEDULE.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NOT REQUIRED WITH GOOD INDUSTRIAL VENTILATION. Ventilati

on:LOCAL EXHAUST RECOMMENDED.

Protective Gloves: IMPERVIOUS PLASTIC OR RUBBER.

Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: AS NEEDED TO PROTECT SKIN AND CLOTHING.

Work Hygienic Practices: WASH WITH SOAP AND WATER.

Supplemental Safety and Health

KEY1:N1. KIT CONSISTS OF TWO PARTS. SEE PNI A OR B FOR OTHER PART.

========= Physical/Chemical Properties ===========

HCC:B2

Boiling Pt:B.P. Text:DECOMPOSES

Vapor Pres:1, H2O = 1

Evaporation Rate & Deference:

NIL

Solubility in Water:NIL

Appearance and Odor: AMBER LIQUID WITH SLIGHT ODOR.

Percent Volatiles by Volume: 1 LB TOTAL. DO NOT HEAT MIXED ADHESIVE ABOVE 75F UNLESS CURING SUR BONDED.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO D.O.T. HAZARD CLASS. IF NOT REGULATED BY D.O.T., DISPOSE OF AS ORM-E. DISPOSAL METHOD CAN BE LAND BURIAL ORCHEMICAL INCINERATION AS REGULATED BY ALL GOVERNMENTAL A GENCIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particul ar situation.