

TRIAD PAINT AND CHEMICAL CORP -- TT-P-91D TY 2 AMD 2 GRAY 16376 -- 8010-00-597-8198

=====  
Product Identification  
=====

Product ID:TT-P-91D TY 2 AMD 2 GRAY 16376

MSDS Date:01/01/1987

FSC:8010

NIIN:00-597-8198

MSDS Number: BHMRN

=== Responsible Party ===

Company Name:TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVENUE

City:BROOKLYN

State:NY

ZIP:11207

Country:US

Info Phone Num:(718) 443-2778

Emergency Phone Num:(718) 443-2778

CAGE:33151

=== Contractor Identification ===

Company Name:TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVE

Box:City:BROOKLYN

State:NY

ZIP:11207-1140

Country:US

CAGE:33151

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL SPIRITS

Fraction by Wt: 61.6%

ACGIH TLV:100 PPM

Ingred Name:2-ETHOXYETHYL ACETATE (CELLOSOLVE ACETATE) (EGEEA)

CAS:111-15-9

RTECS #:KK8225000

Fraction by Wt: 38.4%

OSHA PEL:S,100 PPM

ACGIH TLV:S,

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Effects of Overexposure:VAPORS MIGHT BE IRRITANT TO EYES, NOSE & THROAT.  
EXCESSIVE EXPOSURE MAY RESULT IN HEADACHE, DIZZINESS, AND NAUSEA.  
DEFATTING TO SKIN.

=====  
First Aid Measures  
=====

First Aid:INHALATION: PROVIDE FRESH AIR AND REST. SKIN: WASH AFFECTED  
AREA WITH SOAP & WATER. INGESTION: DO NOT INDUCE VOMITING. DRINK  
ONE OR TWO GLASSES OF WATER TO DILUTE. SEE A PHYSICIAN. EYES:  
FLUSH WITH RUNNING WATER FOR 15 MINUTES.

=====  
Fire Fighting Measures  
=====

Flash Point:105 F/41 C  
Lower Limits:1.0  
Upper Limits:7.0  
Extinguishing Media:CO2, DRY CHEMICAL, FOAM  
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF CONTAINED  
BREATHING APPARATUS TO AVOID INHALATION OF SMOKE OR VAPORS. DO NOT  
USE WATER.  
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT,  
SPARKS, AND OPEN FLAMES. VAPORS FORM EXPLOSIVE MIXTURE BETWEEN  
UPPER AND LOWER EXPLOSIVE LIMITS

=====  
Accidental Release Measures  
=====

Spill Release Procedures:VENTILATE AREA. REMOVE ALL SOURCES OF  
IGNITION. PICK UP SPILL IMMEDIATELY WITH INERT ABSORBENT(S) &  
NON-SPARKING TOOLS. SAFELY DISPOSE OF SATURATED ABSORBENT(S) BY  
IMMERSING IN WATER. WEAR PROTECTIVE CLOTHING DURING  
CLEANUP.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID OPEN FLAME, AND SPARKS SOURCES.  
PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE HEAT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:ORGANIC CARTRIDGE MASK OR AIR PACK IF  
VENTILATION IS INADEQUATE.  
Ventilation:LOCAL EXHAUST IS RECOMMENDED AND MECHANICAL WITH APPROVED  
CLASS O EXPLOSION PROOF MOTOR & SWITCHES  
Protective Glove

oves:NEOPRENE RUBBER GLOVES

Eye Protection:CHEMICAL SAFETY GOGGLES

Supplemental Safety and Health

DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.

AVOID PROLONGED OR REPEATED BREATHING OF VAPORS.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:313 F

Vapor Pres:7.5

Vapor Density:M.S. 5.0

Spec Gravity:1.12

Evaporation Rate & Reference:.2

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GRAY COLORED LIQUID. SWEET ODOR

Perce

nt Volatiles by Volume:68.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES

Stability Condition to Avoid:WARM STORAGE AND IGNITION SOURCES

Hazardous Decomposition Products:CO, CO2, SMOKE, TOXIC VAPORS, FUMES,

CARBON TETRACHLORIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL METHODS MUST COMPLY WITH ALL LOCAL,  
STATE

AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to

their

particular situation.