

ELDORADO CHEMICAL COMPANY, INC. -- PAINT REMOVER, PR-3404 -- 8010-00-943-7128

=====
Product Identification
=====

Product ID:PAINT REMOVER, PR-3404

MSDS Date:09/15/1988

FSC:8010

NIIN:00-943-7128

MSDS Number: BHMZN

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Eme

rgency Phone Num:800-531-1088

Preparer's Name:PAT E. SMITH

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 70%

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)
CAS:67-56-1
RTECS #:PC1400000
Fraction by Wt: 1%
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)
CAS:67-56-1
RTECS #:PC1400000
Fraction by Wt: 10%
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM CHROMATE
CAS:7775-11-3
Fraction by Wt:
.7%
OSHA PEL:.5 PPM
ACGIH TLV:.5 PPM
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:AMMONIUM HYDROXIDE
CAS:64-11-7
Fraction by Wt: 4%
OSHA PEL:25 PPM
ACGIH TLV:25 PPM

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:INHALATION: WHEN ABSORBED IN LUNGS,
CAN CAUSE NARCOSIS, DIZZINESS AND NAUSEA. SKIN CONTACT: MAY BE
CORROSIVE TO SKIN, CAUSING SCARRING FOR 1-2 YEARS EYE

S:
MAY BE CORROSIVE TO EYES, CAUSING HAZY VISION WHICH WILL RETURN TO
NOR-MAL.

Effects of Overexposure:INHALATION: MAY CAUSE NARCOSIS, DIZZINESS,
NAUSEA SKIN: CORROSIVE TO SKIN, WILL
CAUSE SCARRING EYES: CORROSIVE
TO EYES ON CONTACT, SHO RT EXPOSURE WILL CAUSE HAZY VISION,WHICH
RETURNS TO NORMAL.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES, SEEK MEDICAL
ATTENTION SKIN:
FLUSH WITH WATER FOR 10 MINUTES,
WASH WITH SOAP AND WATER. INHALATION: REMOVE TO
FRESH AIR, IF UNC ONSCIOUS, GIVE OXYGEN AND SEEK MEDICALATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:NA
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS REQUIRED
Unusual Fire/Explosion Hazard:CONTACT WITH FLAME MAY PRODUCE TOXIC
CHLORIDE FUMES AND/OR PHOSGENE GAS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ALLOW TO EVAPORATE, SWEEP UP RESIDUE WITH
SAWDUST OR SWEEPING COMPOUND.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS REQUIRED FOR
MATERIAL USE, MATERIAL TRANSFER OR SPILL IF LIMITS EXCEEDED.
Ventilation:MATERIAL TRANSFER OR SPILL: 10 FOOT MINIMUM
MATERIAL USE: 100 FOOT MINIMUM
Protective Gloves:POLYETHYLENE
Eye P

rotection:FACE SHIELD OR GOGGLES
Other Protective Equipment:FULL WASHRACK GEAR
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:115F
Vapor Pres:200 MM HG
Vapor Density:2
Spec Gravity:1.2
pH:12
Evaporation Rate & Reference:1
Solubility in Water:INSOL.(DISPERSABLE)
Appearance and Odor:VISCOUS, PUNGENT LIQUID
Percent Volatiles by Volume:90

===== Stability and Reactivity Data =====

STRONG ALK
ALIS,STRONG ACIDS,STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT FEDERAL, STATE AND LOCAL REGULATORY
AGEN- CIES FOR PROPER DISPOSAL. USE EPA HAZARDOUS WASTE NUMBERS
U080, D007, U154, U220.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied
, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.