

TUFF-KOTE CO, INC -- TUFF-KOTE -- 8030-00-975-0713

=====
Product Identification
=====

Product ID:TUFF-KOTE
MSDS Date:01/01/1987
FSC:8030
NIIN:00-975-0713
MSDS Number: BHMZY
=== Responsible Party ===
Company Name:TUFF-KOTE CO, INC
Address:210 SEMINARY AVE .
City:WOODSTOCK
State:IL
ZIP:60098
Country:US
Info Phone Num:815-338-2006
Emergency Phone Num:815-338-2006
CAGE:MO423
=== Contractor Identific
ation ===
Company Name:TUFF-KOTE CO INC
Address:210 SEMINARY AVE
Box:City:WOODSTOCK
State:IL
ZIP:60098-3428
Country:US
CAGE:15489
Company Name:TUFF-KOTE CO, INC
Address:210 SEMINARY AVE
Box:City:WOODSTOCK
State:IL
ZIP:60098-3428
Country:US
CAGE:MO423

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL SPIRITS
ACGIH TLV:200 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health

Hazards Acute and Chronic:COULD PRODUCE NARCOSIS IF
CONFINED.CONTACT MIGHT CAUSE SKIN IRRITATIONS, AND EYEIRRITATION,
TEARING, REDNESS.

Effects of Overexposure:OVEREXPOSURE CAN CAUSE DIZZINESS, EYE
IRRITATION, ACTIVATE ALLERGIES, DERMATITISNASAL AND RESPIRATORY
IRRITATIONS .

Medical Cond Aggravated by Exposure:RESPIRATORY, ALLERGICAL- SKIN @
INTERNAL.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH EYE WITH LUKE WARM WATER FOR AT LE
AST 15 MINUTES
OCCASIONALLY LIFTING EYELID GO SEE THE DOCTER. SKIN REMOVE
CLOTHES THAT ARE CONTAMINATED

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:100F@C
Lower Limits:7.
Upper Limits:6.
Extinguishing Media:FOAM, CO2, OR DRY CHEMICAL
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS, WATER NOT
SUITABLE, MAYBE USE TO COOL CONT- AINERS, AVIOD SPREADING BURNING
MATERIAL WITH WATER.
Unusual Fire/Explosion Hazard:
KEEP WORK AREAS FREE OF POTENTIAL SOURCES
OF FIRE OPEN FLAMES,ECT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE NON ESSTINAL PERSONNEL. ELIMINATE ALL
POSSIBLE SOURCES OF IGNITION. COVER SPILLED AREA WITHABSORBANT
MATERIAL. USE NON SPARKING TOOLS. SHOVEL INTO CONTAINERS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID EXTREME HEAT, NO CONTACT
W/STRONG OXIDIZE

RS CARBON MONOXIDE/DIOXIDES.

Other Precautions:THERMAL DECOMPOSITION MAY YIELD CO @ CO2

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS

Ventilation:SPARK FREE FANS, ANY FANS

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES WITH SIDE SHIELD

Work Hygienic Practices:SHOWER AVAILABLE, DO NOT WORK ALONE, KEEP TOOLS
AND WORK AREA CLEAN, AVOID LETTING FLOOR BECOME SLIPPERY.

Supplemental Safety and

Health

NK

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:280F

Melt/Freeze Pt:M.P/F.P Text:MK

Vapor Pres:2@68

Vapor Density:>AIR

Spec Gravity:1.25

Solubility in Water:INSOLUBLE

Appearance and Odor:MASTIC SOLVENT ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Stability Condition to Avoid:EXCESSIVE HEAT, SPARKS, OPEN FLAME,
UNVENTILATED AREAS.

Hazardous Decomposition Products:

BURNING CAN PRODUCE CO @ COULD EXPLODE
UNDER PRESSURE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF MATERIAL ACCORDING TO REGULATIONS, OR
POSSIBLE, FILTER AND USE NORMALLY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information

to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.