

CLICK BOND, INC. -- PATCH KIT, KA1-E1-CP-125-000-005-A1A1 -- 8040-01-107-3981  
===== Product Identification =====

Product ID:PATCH KIT, KA1-E1-CP-125-000-005-A1A1

MSDS Date:01/12/1989

FSC:8040

NIIN:01-107-3981

Kit Part:Y

MSDS Number: BHNDC

=== Responsible Party ===

Company Name:CLICK BOND, INC.

Address:2151 LOCKHEED WAY

City:CARSON CITY

State:NV

ZIP:89706-0713

Country:US

Info Phone Num:702-885-800

0

Emergency Phone Num:702-885-8000

Preparer's Name:CHARLES HUTTER, III

CAGE:DO144

=== Contractor Identification ===

Company Name:CLICK BOND DIV OF PHYSICAL SYSTEMS INC

Address:2151 LOCKHEED WAY

Box:City:CARSON CITY

State:NV

ZIP:89701-0713

Country:US

Phone:775-885-8000

CAGE:66530

Company Name:CLICK BOND, INC.

Address:2151 LOCKHEED WAY

City:CARSON CITY

State:NV

ZIP:89706-0713

Phone:702-885-8000

CAGE:DO144

===== Composition/Information on Ingredients =====

Ingred Name:TRADE SECR

ET

Ingred Name:TRADE SECRET

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:INHL: OVER EXPOSURE DELAYED LUNG DAMAGE, CHEMICAL PNEUMONIA. EYE: CAN LEAD TO PERMANENT INJURY OR BLINDNESS.

Effects of Overexposure:INHL: SLIGHTLY TOXIC CAN CAUSE IRRITATION TO RESPIRATORY TRACT. EYE: CORROSIVE TO EYE TISSUE. INGST: SLIGHTLY TOXIC. SKIN: MAY CAUSE IRRITATION.

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR OR GIVE OXYGEN IF BREATHING DIFFICULT. EYE:FLUSHW/WATER 15MINS. LIFTING UPPER/LOWER LIDS. IMMEDIATE MEDICAL CARE. INGST: DO NOT INDUCE VOMITING. TAKE LARGE QUANTITIES O F WATER OR MILK. TAKE TO MEDICAL CARE.SKIN: WIPE EXCESS FROM SKIN AND WASH W/WATER 15MINS. WASH WITH SOAP AND WATER.

=====  
===== Fire Fighting Measures =====

Flash Point:270F

Lower Lim

its:NA

Upper Limits:NA

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE

Fire Fighting Procedures:WATER TO COOL FIRE EXPOSED CONTAINERS.

NON-BURNING USE WATER SPRAY TO DISPERSE VAPORS. WEAR SELF CONTAINED BREATHING APPARATUS & GOGGLES.

Unusual Fire/Explosion Hazard:WATER OR FOAM MAY CAUSE FROTHING

=====  
===== Accidental Release Measures =====

Spill Release Procedures:AVOID PERSONAL CONTACT. CONTAIN SPILL IF POSSIBLE.WIPE UP OR ABSORB ON SUIT ABLE MATERIAL & SHOVEL UPCLEAN UP WITH SUITABLE VENTILATION.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:MIX WELL. STORE IN COOL DRY PLACE

Other Precautions:NA

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS IN HIGH CONCENTRATIONS.

Ventilation:LOCAL EXHAUST RECOMMENDED

Protective Gloves:NA

Eye Protection:NA

Other Protective Equipment:NA

Work Hygienic

Practices:NONE  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA  
Melt/Freeze Pt:M.P/F.P Text:NA  
Decomp Temp:Decomp Text:NA  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:1.13  
pH:NA  
Evaporation Rate & Reference:NA  
Solubility in Water:PARTIAL  
Appearance and Odor:NA  
Percent Volatiles by Volume:NA  
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
OXIDIZING AGENTS;STRONG MINERAL ACIDS;STRG LEWIS ACIDS;ACIDSHALOGENATED ORGANIC COMPOUNDS.  
Stability Condition to Avoid:NA  
Hazardous Decomposition Products:CARBON MONOXIDE, OXIDES OF SULPHUR, NITROGEN OXIDES, AMMONIA

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED INCINERATION OR BURY IN LEGAL LANDFILL.COMPLY WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies)  
:  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.