View NSN Online: https://aerobasegroup.com/nsn/8040-00-092-2816

THE DEXTER CORPORATION -- EPK (EPS) 608, PART B -- 8040-00-092-2816

Product ID:EPK (EPS) 608, PART B MSDS Date:12/19/1988 FSC:8040 NIIN:00-092-2816 Kit Part:Y MSDS Number: BHQGV === Responsible Party === **Company Name: THE DEXTER CORPORATION** Address: ONE DEXTER DRIVE City:SEABROOK State:NH ZIP:03874 Country:US Info Phone Num:603-926-0910 Emergency Phone Num:603-474 -5541 Preparer's Name: KEN DECOSTA CAGE:0KZ46 === Contractor Identification === Company Name: DEXTER CORP THE HYSOL DIV Address:1 DEXTER DR Box:City:SEABROOK State:NH ZIP:03874 Country:US Phone:603-474-5541/FAX: 603-474-5545 CAGE:1JB33 **Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS** Address:2850 WILLOW PASS ROAD Box:312 **City:BAY POINT** State:CA ZIP:94565-3299 Country:US Phone:202-483-7616 CAGE:33564 Company Name: THE DEXTER CORPORATION **City:CHAGRIN FALLS** State:OH ZIP:44022 Country:US Phon

e:800-669-0053 CAGE:0KZ46

Ingred Name:SILICA, AMORPHOUS\*FILLER PARTICLES ARE THOROUGHLY WETTED BY VEHICAL SO AIRBORNE EXPSR DOESN'T OCCUR UNLESS MATL IS GRND CAS:112945-52-5 RTECS #:VV7310000 OSHA PEL:20 MPPCF

Ingred Name:ETHYLENE GLYCOL (SARA III) CAS:107-21-1 RTECS #:KW2975000 OSHA PEL:C 50 PPM ACGIH TLV:C 50 PPM,VAPOR; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:2,4,6-TRI(DIMETHYLAMINOMETHYL) PHENOL CAS:90-72 -2 RTECS #:SN3500000

LD50 LC50 Mixture:NO Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION AND POSSIBLE ALLERGIC REACTIONS. PROLONGED/REPEATED CONTACT MAY CAUSE SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS. Effects of Overexposure:SKIN RASH, MAY CAUSE SKIN IRRITAITON AND POSSIBLE ALLERGI C REACTIONS. PROLONG AND REPEATED CONTACT MAY CAUSE SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS.

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH SKIN THOROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL OR HAND CLEANER. DO NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND EASH BEFORE REUSE. IF IRRITA TION PERSISTS, SEE PHYSICIAN.

====

Flash Point Method:COC Flash Point:315F/157C
Extinguishing Media:DRY CHEMICAL, HALON FIRE EXTINGUISHER, WATER SPRAY, FOAM OR FOG
Fire Fighting Procedures: USE SELF CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS.
Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASSES MAY BE LIBERATED
======================================
Spill Release Procedures:SCRAPE UP AND TRANSFER TO METAL CONTAINER. WIPE UPREMAINING RESIDUE WITH SO LVENTS, OBSERVING
SOLVENTFLAMMABILITY CAUTIONS, OR USE DETERGENT.
======================================
Handling and Storage Precautions:KEEP COOL IN ACCORDANCE WITH LABEL INSTRUCTIONS
Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE. FAILURE TO OBSERVE CAUTIONS MAY RESULT IN EXCESSIVE HEAT BUILD UP WITH THE RELEASE OF TOXIC GASSES.
======================================
Respiratory Protection:NOT REQUIRED WITH G OOD INDUSTRIAL VENTILATION.
Ventilation:LOCAL EXHAUSTE RECOMMENDED, MECHANICAL ACCEPTABLE Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER
Eye Protection:SAFETY GLASSES OR GOGGLEES Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING Supplemental Safety and Health NK
======================================

HCC:N1 Boiling Pt:B.P. Text:>600F Vapor Pres:1 Evaporation Rate & Reference:1 LB. DON'THEAT MATL UNLESS CURING SUFACES TO BE BONDED. CONTS.

=

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT HAZARD CLASS. IF NOT REGULATED BY DOT DISPOSE OF AS ORM-E. DISPOSAL METHOD CAN BE LAND BURIAL OR CHEMICAL INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied,

warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.