

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3204 PART A -- 8030-00-753-5006

=====  
Product Identification  
=====

Product ID:CS 3204 PART A

MSDS Date:07/25/1989

FSC:8030

NIIN:00-753-5006

Kit Part:Y

MSDS Number: BHQLZ

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num:818-982-1650 FAX 818-7

65-5603

Emergency Phone Num:818-982-1650

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

Company Name:TECHCON SYSTEMS INC

Address:1059 E BEDMAR ST

Box:City:CARSON

State:CA

ZIP:90746-3601

Country:US

CAGE:22975

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON-HAZARDOUS INGREDIENT

=====  
Haz

ards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NON ESTABLISHED. POSSIBLE SKIN  
IRRITATION AFTER PROLONGED CONTACT, WITH RESULT- ING DERMATITIS.  
NOT CONSIDERED TO BE A PRIMARY SKIN IRRITANT.  
Effects of Overexposure:SKIN OR EYE IRRITATION.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.  
SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING, CONSULT  
A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:200 F/ 93 C  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.  
Fire Fighting Procedures:NONE.  
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR  
REACTION WITH CURING AGENT. CLEAN UP RESIDUE WITH 1,1,1-  
TRICHLOROETHANE THEN WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM  
STRONG ACIDS.  
Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER  
HANDLING THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respirator

y Protection:NOT REQUIRED.  
Ventilation:LOCAL EXHAUST; AIR. MECHANICAL (GENERAL); FAN.  
Protective Gloves:RUBBER GLOVES.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.  
Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT.  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:NA  
Melt/Freeze Pt:M.P/F.P Text:\*  
Vapor Pres:NEGLIGIBLE  
Vapor Density:NEG  
LIGIBLE  
Spec Gravity:1.52 (H2O=1)  
Evaporation Rate & Reference:NEGLIGIBLE  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR. (MELTING POINT:  
LIQUID AT ROOM TEMP.)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS.  
Stability Condition to Avoid:OPEN FLAME.  
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

===== Disposal Consi  
derations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS SOLID  
WASTE PER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
doc

ument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.