View NSN Online: https://aerobasegroup.com/nsn/6840-00-664-6610

Product ID:BOWL BLOCK MSDS Date:10/21/1988 FSC:6840 NIIN:00-664-6610 MSDS Number: BHVTT === Responsible Party === Company Name: FRESH PRODUCTS INC. Address:4010 SOUTH AVENUE City:TOLEDO State:OH ZIP:43615 Country:US Info Phone Num:419-531-9741 Emergency Phone Num:419-531-9741 CAGE:0GEM5 === Contractor Identifi cation === Company Name: FRESH PRODUCTS INC. Address:4018 SOUTH STREET Box:City:TOLEDO State:OH ZIP:43615 Phone: (419) 531-9741 CAGE:0GEM5 Ingred Name: P-DICHLOROBENZENE (1,4-DICHLOROBENZENE) (SARA III) CAS:106-46-7 RTECS #:CZ4550000 **OSHA PEL:75 PPM**

ACGIH TLV:10 PPM,A3 9394

Routes of Entry: Inhalation:YES Skin:YES I

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS ngestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION OR INGESTION OF PARADICHLOROBENZENE AT CONCENTRATIONS WELL ABOVE PERMISSIBLE EXPOSURE LIMITS CAN CAUSE DEPRESSION OF THE COMMON NERVOUS SYSTEM, VAPOR MAY CAUSE IRRITATION OF SKIN OR EYES. Effects of Overexposure: EYES: IRRITATION SKIN: UNKNOWN INHALATION: HEADACHE, DIZZINESS, NOSE AND THROAT IRRITATION, NAUSEA, FEELING OF DRUNKENESS, AND CARDIAC SENSITIZATION MAY BE EX PERIENCED BY SOME INDIVIDUALS WHERE THE CO NCENTRATION OF PARA IS WELL ABOVE THE TLV IN CONFINED, POORLY VENTILATED AREAS. First Aid: EYE: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: IF SWALLOWED RINSE MOUTH. DO NOT INDUCE VOMITING, GIV E LOTS OF WATER OR MILK. IN ALL CASES WHERE PAIN IN AN AFFECTED AREA PE RSISTS, CALL A PHYSICIAN. Flash Point Method:TCC Flash Point:150F,66C Lower Limits:2.5 Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH/MHSA APPROVED SELF-CONTAINED BREATHING APPARATUS WHERE EXPOSURE TO VAPORS IS POSSIBLE. Spill Release Procedures: SCOOP UP AND PUT IN CLOSED CONTAINE R. KEEP MATERIAL OUT OF SEWERS OR OPEN WATERWAYS. ALLOW SMALL AMOUNTS TO EVAPORATE NATURALLY. Neutralizing Agent:NONE APPLICABLE FOR THIS MATERIAL Handling and Storage Precautions: STORE AWAY FROM HEAT AND OPEN FLAMES IN TIGHTLY CLOSED CONTAINERS. AVOID EXCESSIVE INHALATION AND CONTACT WITH SKIN AND EYES.

Other Precautions:DO NOT WEAR CONTACT LENSES WHEN HANDLING THIS PRODUCT.

====== Exposure Contro

Is/Personal Protection ========

Respiratory Protection: IF AIRBORNE LIMITS MAY BE EXCEEDED, USE NIOSH APPROVED RESPIRATION EQUIPMENT. Ventilation: USE LOCAL EXHAUST, AND IN WELL VENTILATED AREAS. Protective Gloves: NONE NEEDED Eye Protection: DO NOT RUB EYES WITH CONTAMINATED HANDS Other Protective Equipment: NONE KNOWN Work Hygienic Practices: WASH THROUGHLY WITH SOAP AND WATER AFTER COMING IN CONTACT WITH THIS PRODUCT. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:345.2F 174C Melt/Freeze Pt:M.P/F.P Text:127F,53C Vapor Pres:0.6 Vapor Density:5.1 Spec Gravity:1.250 Solubility in Water:.008 Appearance and Odor:WHITE BLOCK OR CRYSTALS "MOTHBALL" ODOR

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS, HOT ALUMINUM AND ALUMINUM ALLOYS Stability Condition to Avoid:KEEP AWAY FROM OPEN FLAME Hazardous Decomposition Products:CA RBON DIOXIDE, CARBON MONOXIDE, SMOKES, SOOT, HYDROGEN CHLORIDE AND PHOSEGENE

Waste Disposal Methods: THE MATERIAL SHOULD BE BURNED IN AN APPROVED INCINERATOR OR DISPOSED OF IN AN APPROVED WASTE DUMP IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defen se. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.