

N/P -- SCTH-WLD(TM),BRND STR. ADH FILM AF-30/5-MIL -- 8040-01-294-2354

Product ID:SCTH-WLD(TM),BRND STR. ADH FILM AF-30/5-MIL

MSDS Date:01/14/1987

FSC:8040

NIIN:01-294-2354

MSDS Number: BHWVJ

=== Responsible Party ===

CAGE:76381

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

=====  
===== Composition/Information on Ingredients =====

Ingred Name:BUTADIENE/ACRYLONITRILE POLYMER

Ingred Name:PHENOLIC RESIN

Ingred Name:CURATIVES

Ingred Name:CATALYST

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:EYES: DUST FROM GRINDING OPERATIONS COULD BE IRRITATING.; SKIN: IRRITATING INHAL: VAPORS FROM THE CURING OPERATION COULD IRRITATE.

===

=====  
===== First Aid Measures =====

First Aid:EYES: TREAT AS ANY OTHERS MECHANICAL IRRITATION.

SKIN: WASH WITH SOAP AND WATER.

INHALATION: IF RESPIRATORY IRRITATION

OC CURS FROM HEATED PRODUCT, PROVIDE FRESHAIR.

INGESTION:

SWALLOWING IS UNLIKELY AND THE NEED FOR FIRST AID IS NOT EXPECTED.

=====  
===== Fire Fighting Measures =====

Flash Point:NA

Lower Limits:NA

Upper Limits:NA

Exti

Extinguishing Media:WATER, CO2, FOAM, DRY CHEMICALS

Fire Fighting Procedures:FIRE FIGHTERS SHOULD BE EQUIPPED WITH  
SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING  
THIS MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:NA; SOLID FILM

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE DUST MASK RESPIRATOR WHEN GRINDING CURED  
PRODUCT.

Ventilation:VENT CURING OVENS TO THE OUTDOORS AND PROVIDE LOCAL EXHAUST  
VENTILATION AT CURING PRESSES.

Eye Protection:SAFETY GOGGLES.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:ND

pH:NA

Evaporation Rate & Reference:NA

Solubility in Water:NIL

Appearance and Odor:LIGHT TAN FILM-NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:CO, CO2, SO2 AND NITROGEN  
DECOMPOSITION PRODUCTS WHEN SUBJECTED TO EXCESSIVE HEAT OR  
FLAME.

===== Disposal Considerations =====

Waste Disposal Methods:UNCURED: INCINERATE WASTE/BULK PRODUCT IN AN  
INDUSTRIAL OR COMMERCIAL FACILITY. CURED:  
DISPOSE IN A SANITARY LANDFILL. DISPOSAL SHOULD BE IN ACCORDANCE  
WITH APPLICABLE REGULATION

Disclaimer (provided with this information by the compiling agency)

s):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.