

EXXON CO USA, A DIV OF EXXON CORP. -- TURBO FUEL JP-7 -- 9130-00-180-6385

=====
Product Identification
=====

Product ID:TURBO FUEL JP-7

MSDS Date:09/05/1980

FSC:9130

NIIN:00-180-6385

MSDS Number: BHXRT

=== Responsible Party ===

Company Name:EXXON CO USA, A DIV OF EXXON CORP.

Address:800 BELL ST

Box:2180

City:HOUSTON

State:TX

ZIP:77252-2180

Country:US

Info Phone Num:713-656-3424

Emergency Phone Nu

m:713-870-6000

CAGE:29700

=== Contractor Identification ===

Company Name:EXXON COMPANY U.S.A.

Box:2180

City:HOUSTON

State:TX

ZIP:77252-2180

Country:US

Phone:713-656-5949 / 713-656-3424

CAGE:29700

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM DISTILLATE (TURBO FUEL)

CAS:8002-05-9

RTECS #:SE7449000

Fraction by Wt: 100%

ACGIH TLV:200 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES In

gestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE IRRITATION IF CONTACTED REPEATEDLY OR FOR A PROLONGED PERIOD OF TIME.

Effects of Overexposure:PROLONGED OR REPEATED LIQUID CONTACT W/THE SKIN WILL DRY & DEFAT SKIN LEADING TO IRRIT/DERMATITIS.

Medical Cond Aggravated by Exposure:NONE STATED.

=====
===== First Aid Measures =====

First Aid:IF OVERCOME BY VAPOR, REMOVE FROM EXPOSURE. CALL A PHYS. IF

INGESTED: DON'T INDUCE VOMITING; CALL A PHYS. SKIN CONTACT, REMOVE ANY CONTAMINATED CLOTHING/WASH W/SOAP & WATER. IF SPLASHED, FLUSH EYES W/ WATER FOR 15 MINS,OR UNTIL IRRITATION SUBSIDES.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:150F

Lower Limits:0.6%

Upper Limits:5.0%

Extinguishing Media:FOAM, DRY CHEMICAL, CO2, OR WATER FOG OR SPRAY.

Fire Fighting Procedures:USE AIR-SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AREAS.

Unusual Fire/Explosion Hazard:DON'T MIX OR STORE W/STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. RECOVER FREE LIQUID. ADD ABSORBENT SAND, EARTH,SAWDUSTETC. TO SPILL AREA. AVOID BREATHING VAPORS. VENTILATE CONFINED SPACES. KP PETROLEUM PRODUCTS OUT OF SEWERS & WATERCOU RSES BY DIKING OR IMPOUNDIN

=====
===== Handling and Storage ==

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. DON'T HANDLE OR STORE NEAR HEAT,SPARKS, FLAME OR STRO OXIDANTS. AVOID BREATHING VAPORS.

Other Precautions:AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. REMOVE CONTAMINATED CLOTHING,LAUNDRER BEFORE REUSE. REMOVE CONTAMINATED SHOESND DRY BEFORE REUSE. WASH SKIN WITH SOAP AND WATER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE HYDROCARBON

VAPOR CANISTER/SUPPLIED-AIR RESP
PROTECTION.

Ventilation:LOCAL EXHAUST: FACE VELOCITY 60 FPM.

Protective Gloves:CHEMICALLY RESISTANT TYPES.

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:USE CHEM-RESISTANT APRON/CLOTHING/AVOID
REPEATED CONTACT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:375-472F

Vapor Pres:10

Vapor Density:6.2

Spec Gravity:0.79

Solubility in Water:NEGLIGIBLE

Appearance

and Odor:WATER-WHITE LIQ MILD/PLEASANT HYDROCARBON ODOR.

Percent Volatiles by Volume:100%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS LIKE CHLORINE/OXYGEN/CALCIUM HYPOCHLORITE.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:FUMES, SMOKE & CO, IN THE CASE OF
INCOMPLETE COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:ASSURE CONFORMIT

Y WITH APPLICABLE DISPOSAL

REGULATIONS. DISPOSE OF ABSORBED MATERIAL AT AN APPROVED DISPOSAL
SITE OR FACILITY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent profe

ssional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.