

BAKER SEALANTS AND COATINGS CO -- SEALING COMPOUND -- 8030-00-252-3391

=====
Product Identification
=====

Product ID:SEALING COMPOUND

MSDS Date:03/16/1988

FSC:8030

NIIN:00-252-3391

MSDS Number: BHYHR

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986 / FAX 201-333-6955

E

mergency Phone Num:201-333-6986

Preparer's Name:CHARLES FRIEDMAN, TECH

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

=====
Composition/Information on Ingredients
=====

Ingred Name:PIGMENTS

Fraction by Wt: 54%

Ingred Name:VEHICLE

Fraction by Wt: 28-32%

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fr

action by Wt: 14-16%
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

===== Hazards Identification =====

Effects of Overexposure:IRRITATION OF EYES, NOSE, THROAT, HEADACHES,
NAUSEA AND DIZZINESS.

===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION, FLUSH EYES
WITH WATER. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Poi
nt Method:COC
Flash Point:60 F/ 16 C
Lower Limits:2.0
Upper Limits:12.0
Extinguishing Media:FOG, CO2, DRY CHEMICAL, ALCOHOL FOAM.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR RESPIRATORY PROTECTION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR PACK OR ORGANIC CANISTER.
Ventilation:AS REQUIRED.
Supplemental Safety and Health
FLAMMABLE LIQUID - AVOID SKIN CONTACT.

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:IPA-180
Vapor Pres:IPA-33
Vapor Density:IPA-2.07
Spec Gravity:1.52
Evaporation Rate & Reference:1.44
Solubility in Water:PARTIALLY SOLUBLE
Percent Volatiles by Volume:28.9

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.

===== Disposal Considerations =====

Waste Disposal Methods:NORMAL WASTE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.