

UNI-KEM INTERNATIONAL CORPORATION -- VV-P-236A,PETROLATUM TECHNICAL --
9150-00-250-0926

===== Product Identification =====

Product ID:VV-P-236A,PETROLATUM TECHNICAL
MSDS Date:06/06/1990
FSC:9150
NIIN:00-250-0926
MSDS Number: BHYNL
=== Responsible Party ===
Company Name:UNI-KEM INTERNATIONAL CORPORATION
Address:513 HICKORY AVENUE
City:HARAHAN
State:LA
ZIP:70123
Country:US
Info Phone Num:504-738-16
23
Emergency Phone Num:504-738-1623
CAGE:4S446
=== Contractor Identification ===
Company Name:UNI-KEM INTERNATIONAL
Address:1001 HARIMAW COURT EAST
Box:City:METAIRIE
State:LA
ZIP:70001
Country:US
Phone:504-835-7600/FAX:504-835-7608
CAGE:4S446

===== Composition/Information on Ingredients =====

Ingred Name:PETROLATUM
CAS:8009-03-8
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NO DATA PER MSDS; MAY CAUSE IRRITATION OF EYES, SKIN, RESPIRATORY OR G.I. TRACT OF IF INHALED IN THE FORM OF VAPORS OR MIST
Effects of Overexposure:INHALATION:OVEREXPOSURE MAY LEAD TO RESPIRATORY IRRITATION. INGESTION:MAY CAUSE NAUSEA,VOMITING,AND DIARRHEA AND POSSIBLY UNCONSCIOUSNESS. EYES:CAUSES MILD IRRITATION ON CONTACT.VAPORS MAY CAUSE TEARS /IRRITATION. SKIN:COMPONENTS ARE UNLIKELY TO BE ABSORBED THROUGH SKIN IN HARMFUL CONCENTRATION BUT MAY CAUSE IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES AND SKIN: FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES; SEEK MEDICAL ATTENTION IMMEDIATELY. INHALATION: REMOVE TO FRESH AIR; CALL A PHYSICIAN. INGESTION: SEEK MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>400F,>204C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL, SAND OR EARTH.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO CO NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:NONE NOTED;FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION; SCRAP AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER. DIKE BULK SPILL WITH INERT ABSORBENT TO PREVENT FROM ENTERING THE WATERWAYS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP CONTAINER CL

USED WHEN NOT IN USE.

Other Precautions:THE SELECTION OF PERSONAL PROTECTIVE EQUIPMENT SHOULD BE MADE BY THE MATERIAL USER BASED ON THE PARTICULAR CONDITIONS WHERE THE MATERIAL IS TO BE USED TOGETHER WITH INFORMATION CONTAINED IN THIS MSDS. GROUND/BOND ALL EQUIPMENT WHEN TRANSFERG

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT REQUIRED;USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST IF ABOVE PEL/TLV.

Ventilation:NORMAL R

OOM VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHES. EYE-WASH FACILITIES, SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT EAT,DRINK,SMOKE.

Supplemental Safety and Health

READ ALL LABELS CAREFULLY BEFORE USING .

===== Physical/Chemical Properties =====

HCC:V6

Solubility in Water:NEGLIGIB

LE

Appearance and Odor:YELLOW OR BROWN,SEMI-SOLID,OIL LIKE,OPAQUE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE REPORTED

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposition Products:INCOMPLETE COMBUSTION WILL EVOLVE OXIDES OF CARBON, NITROGEN AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDA

NCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.