View NSN Online: https://aerobasegroup.com/nsn/8030-00-838-7789

LAPS LABORATORIES, INC -- LPS 2 GENERAL PURPOSE LUBRICANT -- 8030-00-838-7789

Product ID:LPS 2 GENERAL PURPOSE LUBRICANT

MSDS Date:03/01/1989

FSC:8030

NIIN:00-838-7789

MSDS Number: BHYNQ === Responsible Party ===

Company Name: LAPS LABORATORIES, INC

Address: 4647 HUGH HOWELL ROAD

City:TUCKER State:GA

ZIP:30084-5096 Country:US

Info Phone Num:404-934-7800

Emergency Ph

one Num:404-934-7800

Preparer's Name: JOE TARPLEY

CAGE:KO633

=== Contractor Identification ===

Company Name: LAPS LABORATORIES, INC

Address: 4647 HUGH HOWELL ROAD

City:TUCKER State:GA

ZIP:30084-5096

Country:US

Phone:404-934-7800

CAGE:KO633

Company Name: LPS LABORATORIES, INC.

Address: 4647 HUGH HOWELL ROAD

Box:City:TUCKER

State:GA

ZIP:30085-5052 Country:US

Phone:404-934-7800

CAGE:66724

======= Composition/Information on Ingredients ========

Ingred Name: ALIPHATIC PETROLEUM HYDROCARBONS

С

AS:64742-96-7

Fraction by Wt: 70.0%

Other REC Limits: NONE SPECIFIED

OSHA PEL:500 PPM ACGIH TLV:100 PPM

Ingred Name:MINERAL OIL

CAS:64742-53-6 RTECS #:PY8036000 Fraction by Wt: 5-10%

Other REC Limits: NONE SPECIFIED

Ingred Name: OTHER COMPONENTS (TYPE NOT SPECIFIED)

Fraction by Wt: 8-12%

Other REC Limits: NONE SPECIFIED

Ingred Name: CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000 Fraction by Wt: 2-3%

Other REC Limits: NONE SPECIFIED

OSHA PEL:5000 PPM

ACGIH TLV:5000PPM/30000STEL;93

=============

=== Hazards Identification ==========

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:IRRITATION OF

EYES,SKIN,RESPIRATORY OR G.I.TRACTS;CNS EFFECTS LIKE HEADACHE,DIZZINESS,NAUSEA AND VOMITING. REDNESS OR BURNS OF

EYES/SKIN POSSIBLE.CHRONIC:DRYING OF SKIN, DEFATTING OR DERMATITIS.

Explanation of Carcinogenicity: DATA PER MSDS

Effects of Overexposure: MAY CAUSE IRRITATION OF

EYES, SKIN, RESPIRATORY

OR G.I.TRACTS;MAY CAUSE HEADACHE,DIZZINESS,NAUSEA,VOMITING OR GI TRACT DISTURBANCES POSSIBLE.BURNS OR REDNESS OF EYES/CRACKING OR DRYNESS OF SKIN.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITA

TE IF NOT BREATHING.

GET MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point:175F,79C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard: CONTAINERS MAY BURST. FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. ======== Accidental Release Measures ============= Spill Release Procedures: USE PROPER PERSONAL P ROTECTION; CONTAIN FREE MATERIAL IF POSSIBLE; USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER. Neutralizing Agent: NOT APPLICABLE. ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT

CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions: DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID

PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NORMALLY NOT REQUIRED; USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves: NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipme

nt:EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

======== Physical/Chemical Properties ==========

HCC:V2

Boiling Pt:=163.C, 325.4F

Vapor Pres: