View NSN Online: https://aerobasegroup.com/nsn/6130-00-607-0728

Product ID:877433 D.C. POWER SUPPLY (MIL-P-19086) MSDS Date:10/15/1990 FSC:6130 NIIN:00-607-0728 MSDS Number: BHZGN === Responsible Party === Company Name: ELECTRO MAGNETICS, INC. City:ELYRIA (OR POSSIBLE AVON OR AVON LAKE) State:OH Country:US Preparer's Name:DGSC-SSH-HRN CAGE: 8C270 === Contractor Identification === Company Name: ELECTRO MAGNETICS, INC. Box:City:ELYRIA State:OH Country:US CAGE:8C270

Ingred Name:CHLORODIPHENYL;54% CHLORINE (AROCHLOR 1254) (SARA III) CAS:11097-69-1 RTECS #:TQ1360000 Other REC Limits:NONE SPECIFIED OSHA PEL:S, 0.5 MG/M3 ACGIH TLV:S, 0.5MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS AN ELECTRONIC POWER SUPPLY CONTAINING CAPACITORS WHICH USE POLYCHLORINATECD BIPHENYL AS A DIELECTRIC. ELECTRIC SHOCK IS THE MOST LIKELY HAZARD. A LEAKING CAPACITOR IS THE HAZARD COVERED BY THIS MSDS. Explanation of Carcinogenicity:POLYCHLORINATED BIPHENYL IS LISTED AS A SUSPECTED CARCINOGEN BY IARC (2A) AND NTP. Effects of Overexposure:NO SIGNS

| OR SYMPTOMS ARE EXPECTED TO APPEAR |
|---|
| WITH ONE TIME CASUAL CONTACT DURING A CLEAN UP OPERATION WHEN A |
| CAPACITOR LEAKS. |
| Medical Cond Aggravated by Exposure:NONE |

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY. INGESTED:N OT AN EXPECTED EXPOSURE. IF ANY IRRITATIO N

PERSISTS OR IS SEVERE, SEE A DOCTOR.

Extinguishing Media: PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH MEDIA APPROPRIATE FOR SOURCE OF FIRE.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HA

ZARDOUS DECOMPOSITION PRODUCTS. (AEROCHLOR OR POLYCHLORINATED BIPHENYL)

Spill Release Procedures: ABSORB WITH OIL DRY OR OTHER INERT MATERIAL. PACKAGE APPROPRIATELY FOR DISPOSAL. Neutralizing Agent: NONE

Handling and Storage Precautions:STORE AS APPROPRIATE FOR ELECTRONIC EQUIPMENT. PROTECT CAPACITORS FROM DAMAGE.
Other Precautions:WASH THOROUGHLY
AFTER HANDLING. AVOID CONTACT WITH EYES ,SKIN, CLOTHING. DO NOT BREATHE CHEMICALS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR RESPIRATOR FOR ORGANIC VAPOR IF EXPOSURE IS ABOVE THE TLV/PEL. IF EXPOSED ABOVE 1000 PPM USE ONLY A SUPPLIED AIR RESPIRATOR. SEE 29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE Ventilation:NORMAL ROOM VENTILATION IS SUFFICIENT. SUPPLEMENT WI

TH LOCAL EXHAUST IF PEL/TLV IS EXCEEDED. Protective Gloves: NEOPRENE, PVA GLOVES RECOMMENDED. Eye Protection: SAFETY GLASSES OR SPLASH GOGGLES Other Protective Equipment: APRON AND WORK CLOTHING AS NEEDED TO MINIMIZE EXPOSURE. Work Hygienic Practices: USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. Supplemental Safety and Health THIS MSDS COVERS HANDLING OF A CAPACITOR LEAKING POLYCHLORINATED **BIPHENYL**. == HCC:N1 pH:UNKNON Percent Volatiles by Volume:UNKNON Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:LEAKAGE Hazardous Decomposition Products: WHEN INVOLVED IN FIRE, POLYCHLORINATED BIPHENYL MAY EMIT HIGHLY TOXIC AND IRRITATING FUMES. Waste Disposal Methods: DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL

REGULATIONS. POLYCH LORINATED BIPHENYL IS A HAZARDOUS SUBSTANCE AND MUST BE DISPOSED OF BY EPA APPROVED MEANS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify

and

assume responsibility for the suitability of this information to their particular situation.