View NSN Online: https://aerobasegroup.com/nsn/7930-01-249-2166

Product ID:ULTRA CLEAN L MSDS Date:01/01/1987 FSC:7930 NIIN:01-249-2166 MSDS Number: BJCVM === Responsible Party === **Company Name: HENRY SCHEIN INC** Address:5 HARBOR PARK DR **City:PORT WASHINGTON** State:NY ZIP:11050 Info Phone Num:(516) 621-4300 Emergency Phone Num: (516) 621-4300 CAGE:64682 === Contractor Identif ication === Company Name: HENRY SCHEIN INC Address:5 HARBOR PARK DR Box:City:PORT WASHINGTON State:NY ZIP:11050 Phone: (516) 621-4300 CAGE:64682

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 6% Other REC Limits:400 PPM OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Routes of Entry: Inhalation:NO Skin:YES I

ngestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES/NOSE/THROAT: MILD IRRITATION. Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES/NOSE/THROAT: MILD IRRITATION.
======================================
First Aid:EYES/SKIN: WASH W/LARGE AMOUNTS OF WATER. INGESTION: ATTEMPT TO EMPTY STOMACH BY CAUSING VOMIT & USE OF AN EMETIC. INHALATION: ADMINISTER OXYGEN.
======================================
Flash Point:NOT COMBUSTIBLE Extinguishing Media:NONE REQUIRED Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NO EXPLOSION HAZARDS
======================================
Spill Release Procedures: FLUSH THE AREA W/LARGE AMOUNTS OF WATER.
======================================
Handling and Storage Precautions: KEEP CONTAINERS CLOSED. STORE AT A COOL PLACE. MINIMIZE BREATHING VAPORS.
=====
====== Exposure Controls/Personal Protection ====================================
Respiratory Protection: IF VAPOR CONCENTRATION >TLV, USE NIOSH APPROVED RESPIRATOR.
Ventilation:LOCAL EXHAUST: FACE VELOCITY >60PPM. MECHANICAL: ACCEPTABLE.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES Other Protective Equipment:IMPERMEABLE APRONS Supplemental Safety and Health
======================================

Boiling Pt:B.P. Text:212F Vapor Pres:24 Vapor Density:2.1 Spec Gravit y:1.038 pH:11.1 Evaporation Rate & amp; Reference:(BU AC = 1): 0.5 Solubility in Water:MISCIBLE Appearance and Odor:CLEAR LIGHT TAN LIQUID W/SLIGHT AMMONIA ODOR. Percent Volatiles by Volume:81%

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CO, CO2, AMMONIA GAS

Waste Disposal Methods: FLUSH INTO AN INDUSTRIAL SEWER W/COPIOUS QU ANTITIES OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.