View NSN Online: https://aerobasegroup.com/nsn/8040-01-288-5856

DEXTER ADHESIVES & STRUCTURAL MATERIALS -- AA9277 EA 9394 PART A -- 8040-01-288-5856

Product ID:AA9277 EA 9394 PART A

MSDS Date:12/01/1991

FSC:8040

NIIN:01-288-5856

Kit Part:Y

MSDS Number: BJCXC === Responsible Party ===

Company Name: DEXTER ADHESIVES & STRUCTURAL MATERIALS

Address:2850 WILLOW PASS RD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3299 Country:US

Info

Phone Num:510-458-8000/202-483-7616

Emergency Phone Num:510-458-8000/202-483-7616

CAGE:33564

=== Contractor Identification ===

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

====== Composition/Information on Ingredients ========

Ingred Name:ALUMINUM (POWDER)

CAS:7429-90-5

RTECS #:BD0330000 Fraction by Wt: 30-60% OSHA PEL:15 MG/CUM ACGIH TLV:10 MG/CUM (DUST)

Ingred Name: EPICHLOROHYDRIN/BISPHENOL A TYPE EPOXY RESIN

Fraction by Wt: 10-30%

Ingred Name: PROPRIETARY EPOXY RESIN

Fraction by Wt: 30-60%

Ingred Name: SILICON DIOXIDE, CELITE 322

CAS:7631-86-9

RTECS #:VV3100000 Fraction by Wt: 1-5% OSHA PEL:80 MG/CUM ACGIH TLV:0.1 MG/CUM

Ingred Name: VOL ORGANIC CMPD: 1

POUND UNLESS YOU PLAN TO USE IMMEDIATELY. DON'T HEAT MIXED ADHESIVE >125F, UNLES S CURING SURFACES TO BE BONDED.

===== Exposure Controls/Personal Protection =======

Ventilation: LOCAL EXHAUST AT POINT OF USE

Protective Gloves:BUTYL RUBBER/POLYVINYL CHLORIDE/RUBBER

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: CHEMICAL GOGGLES, EYE WASH & SAFETY SHOWER, NITRILE RUBBER GLOVES

Work Hygienic Practices: WASH AFTER HANDLING.

Supplemental Safety and Health

KEY1:N1. THIS ENTRY DESCRIBES PART A OF A TWO PART KIT. SEE THIS SAME NSN, P/N IND B, FOR PART B DATA.

========= Physical/Chemical Properties ===========

HCC:C2 Vapor Pres:0

Vapor Density:>1 Spec Gravity:1

Solubility in Water: NEGLIGIBLE

Appearance and Odor: VISCOUS GRAY PASTE W/SLIGHT ODOR.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS/MINERAL ACIDS

Stability Condition to Avoid: HEAT MIXED ADHESIVE ABOVE 125F UNLESS **CURING SURFACES TO BE BONDED**

Hazardous Decomposition Products:CO, OXIDES OF NITROGEN, ALDEHYDES, ACIDS, UNDETERMINED ORGAN

ICS; DENSE SMOKE/TOXIC GASES.
Conditions to Avoid Polymerization:HEAT >125F

======= Disposal Considerations ===========

Waste Disposal Methods:INCINERATION IN AN EPA-APPROVED WASTE INCINERATOR IS PREFERRED. DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no mann er whatsoever.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.