

ARDROX INC -- P-134D DYE PENETRANT-FLUORESCENT (SEE SUPP) -- 6850-01-263-2261

=====  
Product Identification  
=====

Product ID:P-134D DYE PENETRANT-FLUORESCENT (SEE SUPP)

MSDS Date:04/17/1986

FSC:6850

NIIN:01-263-2261

MSDS Number: BJDVX

=== Responsible Party ===

Company Name:ARDROX INC

Address:16961 KNOTT AVE

City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Info Phone Num:714-739-2821

Emergency Pho

ne Num:714-739-2821/800-424-9300(CHEMTREC)

Preparer's Name:ABAYOMI I. OWEI

CAGE:23373

=== Contractor Identification ===

Company Name:BRENT AMERICA, INC.

Address:16961 KNOTT AVE.

Box:City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Phone:714-739-2821

CAGE:23373

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIISODECYL PHTHALATE

CAS:26761-40-0

RTECS #:TI1270000

Fraction by Wt: >5%

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification

=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE EFFECTS-LOW LEVELS OF TOXICITY  
AND IRRITATION. CHRONIC EFFECTS-UNKNOWN.  
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS  
LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:EYES/SKIN: MAY CAUSE IRRITATION. INHALED: MAY  
CAUSE MINOR IRRITATION. INGESTED: MAY CAUSE UPSET STOMACH.

Medical Cond Aggravated by Exposure:SKIN DISEASES COULD BE AGGRAVATED  
BY REPEATED EXPOSURE.

===== First Aid Measures =====

First Aid:FIRST AID-EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15  
MINUTES. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH  
SOAP AND WATER FOR 15 MINUTES. SEE DOCTOR. INHALATION: REMOVE TO  
FRESH AIR. INGESTION: INDUCE VOMITING IMMEDIATELY BY GIVING 1-2  
GLASSES OF WATER & STICKING FINGER DOWN THROAT, THEN  
GIVE 2-3  
TABLESPOONS OF MILK OF MAGNESIA OR STRONG TEA WITH TOAST. SEE  
DOCTOR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:200F,93C  
Extinguishing Media:USE WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE-EXPOSED SURFACES  
& PROTECT PERSONNEL. WEAR SELF-CONTAINED BREATHING APPARATUS AND  
TREAT AS CHEMICAL FIRE.  
Unusual Fire/Explosion Hazard:NON  
E SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE EMPLOYEES. SHUT OFF SOURCE. PREVENT  
LIQUID FROM ENTERING SEWER OR WATER COURSES. CLEAN-UP PERSONNEL  
SHOULD WEAR PROPER PROTECTIVE EQUIPMENT. USE ABSORBENT MATERIAL TO  
REMOVE SPILL. ADVISE LOCAL AUTHORITIES IF MATERIAL ENTERS SEWER OR  
SOIL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

=====

Handling and Storage Precautions:STORAGE-STORE IN COOL, DRY PLACE.  
STORE AEROSOLS OUT OF DIRECT SUNLIGHT.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNLESS IN HEATED APPLICATION.  
Ventilation:GENERAL ROOM VENTILATION IS SATISFACTORY  
Protective Gloves:NEOPRENE OR PLASTIC GLOVES  
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES  
Other Protective Equipment:EYE BATH AND SAFETY SHOWER.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING.  
Supplemental Safety and Health  
PRODUCT UNDER THE FOLLOWING P/N IND: A, B, C, OR D ARE LISTED IN QPL-25135-15 UNDER TYPE 1, METHOD A, LEVEL 2 OF MIL-I-25135.(P/N IND A: P-134D; P/N IND B: 970-P23; P/N IND C: BIO-PEN P6F2; D: TRACER- TECH P-133A.)

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:>240F,>116C  
Spec Gravity:0.871  
Evaporation Rate & Reference: