

ARDROX INC -- TRACER TECH P-135D -- 6850-01-263-9774

=====
Product Identification
=====

Product ID:TRACER TECH P-135D

MSDS Date:05/01/1990

FSC:6850

NIIN:01-263-9774

MSDS Number: BJDYC

=== Responsible Party ===

Company Name:ARDROX INC

Address:16961 KNOTT AVE

City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Info Phone Num:714-739-2821

Emergency Phone Num:714-739-2821/800-424-9300(CHEMTREC)

Prepare

r's Name:SHEREE L. KINZEL

CAGE:23373

=== Contractor Identification ===

Company Name:BRENT AMERICA, INC.

Address:16961 KNOTT AVE.

Box:City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Phone:714-739-2821

CAGE:23373

=====
Composition/Information on Ingredients
=====

Ingred Name:WHITE MINERAL OIL

CAS:8042-47-5

RTECS #:PY8047000

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (MIST)

ACGIH TLV:5 MG/M3 (MIST)

Ingred Name:AROMATIC NAPHTA

CAS:64741-68-0

Other REC Limits:NONE SPECIF

IED
OSHA PEL:400 MG/M3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-EYES:IRRITATION, SKIN:MODERATE
IRRITATION, INHALATION:IRRITATION OF THROAT AND LUNGS,
INGESTION:IRRITATION. CHRONIC-EYES:IRRITATION, SKIN:CONTACT
DERMATITIS AND ABSORPTION, INHALATION:DISORDERS OF THE CENTRAL
NERVOUS SYSTEM, GASTROINTESTINAL
TRACT, AND LUNGS,
INGESTION:DISORDERS OF THE CENTRAL NERVOUS SYSTEM.

Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS
LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES:IRRITATION, SKIN:DRYNESS, CHAPPING, AND
REDDENING, INHALATION:SYMPTOMS OF THE CENTRAL NERVOUS SYSTEM,
GASTROINTESTINAL TRACT, AND LUNGS, INGESTION:DROWSINESS, DULLNESS,
NUMBNESS, AND HEADACHE FOLLOWED BY DIZZINESS, WEAKNESS AND NAUSEA,
LOSS OF CONSCIOUSNESS

AND CONVULSIONS FOLLOWED BY DEATH.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
CONDITIONS MAY BE SUSEPTIBLE TO THE EFFECTS OF A COMPONENT(S) OF
THIS PRODUCT

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH
SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE
REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF
NECESSARY. INGESTED:DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF
WATER AND GET IMMEDIATE MEDICAL CARE. GIVE NOTHING BY MOUTH IF
UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:>200F,>93C
Autoignition Temp:Autoignition Temp Text:428F
Lower Limits:1.1
Upper Limits:6.0
Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
F

ULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. DENSE SMOKE MAY BE GENERATED WHILE BURNING.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE/SOAK UP WITH CLOTH OR PAPER TOWEL OR INERT ABSORBENT. PUT IN DISPOSAL CONTAINER. REMOVE RESIDUE WITH WATER.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT CUT, GRIND, WELD, OR DRILL ON OR NEAR THIS CONTAINER. GROUND ALL EQUIPMENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. WHEN

NECESSARY, USE A NIOSH-APPROVED CANNISTER-TYPE RESPIRATOR. WHEN EXPOSURE GUIDELINES MAY BE GREATLY EXCEEDED, USE AN APPROVED POSITIVE-PRESSURE, SELF-CONTAINED BREATHING APPARATUS.

Ventilation:GENERAL ROOM VENTILATION IS NORMALLY ADEQUATE. USE LOCAL EXHAUST IF NECESSARY TO CONTROL EXPOSURE BELOW PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, VPC OR NATURAL RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.

Supplemental Safety and Health

KEEP CONTAINERS COOL, DRY, AND AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DO NOT STORE IN DIRECT SUNLIGHT, HIGH TEMPERATURE, OR BELOW FREEZING AREAS.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>240F,>116C

Spec Gravity:0.871

Ev

aporation Rate & Reference: