

SOUTH COAST TERMINALS INC -- SCT PRESERVATIVE OIL SAE 30 -- 9150-00-111-0209

=====  
Product Identification  
=====

Product ID:SCT PRESERVATIVE OIL SAE 30

MSDS Date:03/05/1990

FSC:9150

NIIN:00-111-0209

MSDS Number: BJFMM

=== Responsible Party ===

Company Name:SOUTH COAST TERMINALS INC

Address:7401 WALLISVILLE RD

Box:15535

City:HOUSTON

State:TX

ZIP:77020-3555

Country:US

CAGE:1L506

=== Contractor Ident

ification ===

Company Name:SOUTH COAST TERMINALS, INC

Address:7401 WALLISVILLE ROAD

Box:15535

City:HOUSTON

State:TX

ZIP:77020

Country:US

Phone:713-672-2401/800-424-9300(CHEMTREC)

CAGE:1L506

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM OIL/BASE OIL/LUBRICATING OIL BASESTOCK

CAS:8002-05-9

RTECS #:SE7175000

Fraction by Wt: 80-90%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:PHOSPHORODITHIOIC ACI

D, ZINC SALT  
RTECS #:TD5110000  
Other REC Limits:NONE SPECIFIED

Ingr ed Name:THE MANUFACTURER STATES THAT THE IDENTITIES OF INGREDIENTS  
THAT ARE TRADE SECRETS ARE EXCLUDED FROM THE MSDS LIST.  
RTECS #:9999999ZZ  
Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Health Hazards Acute and  
Chronic:ACUTE-EYE:IRRITATION.SKIN:IRRITATION.INHALE:EXPOSURE TO  
HEATED MIST/VAPOR MAY CAUSE  
|  
RRITATION.INGESTION:IRRITATION.CHRONIC-SKIN:DERMATITIS.  
Effects of Overexposure:EYE:DIRECT CONTACT MAY CAUSE BURNING, TEARING,  
AND REDNESS.SKIN:REDNESS AND BURNING.INHALATION:IRRITATION TO NOSE  
AND THROAT.INGESTION.IRRITATION TO THE DIGESTIVE TRACT.  
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS  
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR  
RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH WITH CLEAN WATER.IF IRRITATION/REDNESS PERSISTS,SEE  
A DOCTOR.SKIN:WASH WITH SOAP & WATER.IF IRRITATION PERSISTS, SEE A  
PHYSICIAN.INHALATION:MOVE TO FRESH AIR.IF IRRITATION PERSISTS, SEE  
A DO CTOR.INGESTION:DON'T INDUCE VOMITING.CALL A PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point:200C(MIN)  
Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL, SAND  
OR EARTH. WATER AND FOAM MA  
Y CAUSE FROTHING.  
Fire Fighting Procedures:RESPIRATORY PROTECTION AND EYE PROTECTION  
REQUIRED FOR FIRE FIGHTING PERSONNEL.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:TREAT AS AN OIL SPILL. CONTAIN AND REMOVE BY  
MECHANICAL MEANS.  
Neutralizing Agent:NOT APPLICABLE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE NORMALLY REQUIRED.  
Other Precauti

ons:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE.

Protective Gloves:NEOPRENE, NITRILE, PVC OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:NONE

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Suppleme

ntal Safety and Health

MEDICAL OPINION IS DIVIDED FOR LARGE INGESTION. EMESIS OR LAVAGE HAS BEEN RECOMMENDED FOR THOSE PETROLEUM PRODUCTS WHICH HAVE A HIGH ORAL TOXICITY.

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>500F,>260C

Vapor Pres:1

Spec Gravity:.87-.88

pH:7

Evaporation Rate & Reference: