

DEXTER ELECTRONIC MTLs DIV.,THE DEXTER CORP. -- HYSOL PC12 007M -- 5970-01-063-1200  
===== Product Identification =====

Product ID:HYSOL PC12 007M  
MSDS Date:11/11/1986  
FSC:5970  
NIIN:01-063-1200  
Kit Part:Y  
MSDS Number: BJFRF  
=== Responsible Party ===  
Company Name:DEXTER ELECTRONIC MTLs DIV.,THE DEXTER CORP.  
Address:211 FRANKLIN ST.  
City:OLEAN  
State:NY  
ZIP:14760-1297  
Country:US  
Info Phone Num:716-372-6300  
Emergency Phone Num:716-372-6309  
Preparer's Name:JAMES P. HORNBERG  
CAGE:04347  
=== Contractor Identification ===  
Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV  
Address:211 FRANKLIN ST.  
Box:City:OLEAN  
State:NY  
ZIP:14760-1297  
Country:US  
Phone:716-372-6300/6309  
CAGE:04347

===== Composition/Information on Ingredients =====

Ingred Name:REACTIVE POLYAMIDE  
CAS:37189-83-6  
Fraction by Wt: 60-100%  
Other REC Limits:NONE SPECIFIED

===== Hazards Identi

fication =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE-EYES:BURNS. SKIN:BURNS.  
INHALATION:SLIGHTLY IRRITATING. INGESTION:NONE SPECIFIED BY  
MANUFACTURER. CHRONIC-EYES:BURNS. SKIN:DERMATITIS.  
INHALATION:IRRITATION. INGESTION:NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NOT CONSIDERED TO BE A CARCINOGEN BY  
NTP, IARC, OR OSHA.  
Effects of Overexposure:EYES:BURNING. SKIN:BURNING. INHALATION: SLIGHT  
IRRITATION. INGESTION:NONE SPECIFIED BY MANUFACTURER.  
Medical Condition Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR 15 MIN WHILE HOLDING LIDS OPEN.  
SEEK MEDICAL ATTENTION. SKIN:WASH WITH SOAP AND WATER. REMOVE  
CONTAMINATED CLOTHING. INHALATION:REMOVE TO FRESH AIR. MATERIAL IS  
A SENSITIZER. IF ALLERGIC MANIFESTATIONS OCCUR, SEEK MEDICAL  
ATTENTION. INGESTION:NONE SPECIFIED BY MANUFACTURER.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:338F,170C  
Lower Limits:0.6  
Upper Limits:2.5  
Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE  
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID WITH AN INERT ABSORBENT AND PUT  
IN A PROPER CONTAINER FOR DISPOSAL. WASH RESIDUE WITH WATER.  
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED.  
Other Precautions:NONE

=====

== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:LOCAL EXHAUST-PREFERRABLE; MECHANICAL-ACCEPTABLE.

Protective Gloves:PLASTIC OR RUBBER.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:USE GOOD HYGIENE PRACTICES WHEN HANDLING THIS PRODUCT.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:634F,334

C

Vapor Pres: