View NSN Online: https://aerobasegroup.com/nsn/7930-01-045-3515

LIGHTHOUSE FOR THE BLIND -- LAUNDRY, DETERGENT -- 7930-01-045-3515

Product ID:LAUNDRY, DETERGENT

MSDS Date:06/01/1989

FSC:7930

NIIN:01-045-3515

MSDS Number: BJFYK === Responsible Party ===

Company Name: LIGHTHOUSE FOR THE BLIND

Address:10440 TRENTON AVE

City:ST LOUIS State:MO ZIP:63132 Country:US

Info Phone Num:314-423-4333

Emergency Phone Num:314-423-4333

CAGE:D O422

=== Contractor Identification ===

Company Name:LHB INDUSTRIES Address:10440 TRENTON AVENUE

City:ST. LOUIS

State:MO ZIP:63132 Country:US

Phone:800-424-9300 CHEMTREC

CAGE:9Y444

Company Name: LIGHTHOUSE FOR THE BLIND OF HUSTON

Address:3530 W DALLAS

City:HOUSTON

State:TX

ZIP:77019-1702 Phone:713-260-2505

CAGE:DO422

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 58.017%

Other REC Limits: NONE SPECIFIED

Ingre

Other REC Limits: NONE SPECIFIED Ingred Name: TETRA SODIUM ETHYLENEDIAMINETETRAACETATE CAS:64-02-8 RTECS #:AH5075000 Fraction by Wt: .25% Other REC Limits: NONE SPECIFIED Ingred Name: ANIONIC SURFACTANT BLEND Fraction by Wt: 11.7% Other REC Limits: NONE SPECIFIED Ingred Name: DISTYRYL BIPHENYL DERIVATIVE Fraction by Wt: .033% Other REC Limits: NONE SPECIFIED ========== Hazards Identification =============== Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:DIRECT CONTACT WITH EYES WILL BE PAINFUL AND IRRITATING. MAY BE IRRITATING TO SKIN. First Aid:WASH OFF SKIN WITH WATER. FLUSH EYES THOROUGHLY WITH WATER. SEEK MEDICAL ATTENTION. Flash Point Method:COC Flash Point:460F,238C tinguishing Media:WATER SPRAY DRY CHEMICAL Fire Fighting Procedures: USE WATER TO COOL FIRE EXPOSED CONTAINERS Unusual Fire/Explosion Hazard:NONE ======== Accidental Release Measures ============ Spill Release Procedures: CONTAIN SPILL, WIPE UP, AVOID CONTACT WITH EYES OR ABSORB ON SUITABLE MATERIAL. ============ Handling and Storage =========================== Handling and Storage Precautions: MINIMUM FEASIBLE TEMPERATURE SHOULD BE MAINTAINED. AVOID EXPOSURE TO

d Name:LINEAR ALCOHOL ETHOXYLATE

Fraction by Wt: 30.0%

HIGH TEMPERATURE. Other Precautions: DO NOT USE IN DISHWASHING MACHINE OR ON AIRCRAFT SURFACES. DO NOT INGEST. IF SWALLOWED, INDUCE VOMITING AND CALL A PHYSICIAN. ===== Exposure Controls/Personal Protection ======== Ventilation: NORMAL CHEMICAL STORAGE, WELL VENTILATED Protective Gloves: CHEMICAL Eye Protection: GOGGLES, FACE SHIELD Supplemental Safety and Health ========= Physical/Chemical Properties =========== Boiling Pt:B.P. Text:212F,100C Melt/Fre eze Pt:M.P/F.P Text:20.0F,-6.7C Decomp Temp:Decomp Text:300F,149C Spec Gravity:1.070 pH:1 Evaporation Rate & Dry Reference:1 Solubility in Water: COMPLETE Appearance and Odor:LIQUID, SOAPY Percent Volatiles by Volume:0.05

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES OXIDIZERS

Stability Condition to Avoid: EXTREME HEAT 400 F

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, SMOKE

====== Disposal Cons iderations ==========

Waste Disposal Methods:IF SPILLS OCCURS DISPOSE OF IN ACCORDANCE TO LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document s

hould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.