View NSN Online: https://aerobasegroup.com/nsn/1377-01-052-8207

UNIVERSAL PROPULSION COMPANY, INC -- CARTRIDGE MORTAR 1005-3 -- 1377-01-052-8207

Product ID:CARTRIDGE MORTAR 1005-3 MSDS Date:09/20/1989 FSC:1377 NIIN:01-052-8207 MSDS Number: BJHVS === Responsible Party === Company Name: UNIVERSAL PROPULSION COMPANY, INC Address: BLACK CANYON STAGE 1 Box:1140 City:PHOENIX State:AZ ZIP:85027 Info Phone Num:(602) 869-8067 Emergency Phone Num:(602) 869-8067 CAGE:51998 === Contractor Identification === Company Name: UNIVERSAL PROPULSION CO Address:25401 N CENTRAL AVENUE Box:City:PHOENIX State:AZ ZIP:85027-7899 Country:US Phone:602-516-3340 CAGE:51998

Ingred Name:CYCLONITE CAS:121-82-4 RTECS #:XY9450000 OSHA PEL:S, 1.5 MG/M3 ACGIH TLV:S, 1.5MG/M3; 9192

Ingred Name:CUBIC BORON NITRIDE, BORON POTASSIUM NITRATE CAS:10043-11-5 Fraction by Wt: 1% G

Ingred Nam

e:IGNITOR MIX Fraction by Wt: 0.125% G
Ingred Name:RUBBER PROPELLANT Fraction by Wt: 4% G
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NONE
======================================
Fire Fighting Procedures:DON'T FIGHT FIRES. IF IGNITION OCCURS, EVACUATE THE AREA UNTIL UNITS HAVE BURNED OUT. CARTRIDGE WILL BE PROPULSIVE.
Unusual Fire/Explosion Hazard:DOT EXPLOSIVE POWER DEVICE CLASS C EXPLOSIIVE.
======================================
Spill Release Procedures: IF THE CARTRIDGE IS UNDAMAGE, IT MAY BE PICKED UP/RETURNED TO ORIGINAL SHIPPING CONTAINER OR EQUIVALENT. VERIFY SHORTING CLIP IS IN PLACE ON IGNITER PLUG.
======================================
Handling and Storage Precautions:DON'T DROP OR ROUGH HANDLE IN AN W AY. WHEN SHORTING CLIP IS REMOVED FROM IGNITION PLUG, AVOID ALL EXPOSURE TO ELECTROSTATIC ENERGY/ELECTRICAL ENERGY. Other Precautions:DON'T EXPOSE TO HEAT OR OPEN FLAME. DON'T EXPOSE TO
ELECTRICAL DISCHARGE OF ANY SORT/KEEP SHORTING CLIP IN PLACE.
======== Exposure Controls/Personal Protection ===============
Eye Protection:SAFETY GLASSES

Other Protective Equipment:RECOMMEND FLAME RESISTANT CLOTHING Supplemental Safety and Health

========== Stability and Reactivity Da

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, OPEN FLAME, ELECTRICAL DISCHARGE

Waste Disposal Methods: IF THE CARTRIDGE IS DAMAGED OR NEEDS TO BE DISPOSED OF FOR ANY REASON, IT SHOULD BE DISPOSED OF ONLY BY PERSONS QUALIFIED TO DISPOSE OF EXPLOSIVES, AT AN APPROVED SITE, UNDER APPROVED PROCEDURES.

Disclaimer (provided with this information by the compiling age ncies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.