View NSN Online: https://aerobasegroup.com/nsn/6850-01-267-4345 SHERWIN INC -- HM607 PENETRANT -- 6850-01-267-4345 Product ID:HM607 PENETRANT MSDS Date:06/01/1986 FSC:6850 NIIN:01-267-4345 MSDS Number: BJKVM === Responsible Party === Company Name: SHERWIN INC Address:5530 BORWICK AVE City:SOUTH GATE State:CA ZIP:90280-7402 Country:US Info Phone Num:213-861-6324 Emergency Phone Num:213-861-6324 CAGE:21405 === Contractor Identi fication === Company Name: SHERWIN INC. Address:5530 BORWICK AVE. City:SOUTH GATE State:CA ZIP:90280-7402 Country:US Phone:562-861-6324/FAX 923-8370 CAGE:21405 ======= Composition/Information on Ingredients ======== Ingred Name:SURFACTANTS (NON-IONIC) Fraction by Wt: 92-98% Other REC Limits: NONE SPECIFIED Ingred Name: DYESTUFF Fraction by Wt: 2-8% Other REC Limits: NONE SPECIFIED

========= Hazards Identification ==============

Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SWALLOWING: MAY CAUSE NAUSEA, ABDOMINAL DISCOMFORT, VOMITING, AND DIARRHEA. SKIN ABSORPTION: PROLONGED OR WIDESPREAD CONTACT MAY RESULT IN THE ABSORPTION OF POTENTIALLY HARMFUL AMOUNTS OF MATERIAL. IN HALATION: ADVERSE EFFECTS UNDETERMINED.SKIN CONTACT: CAUSES MODERATE IRRITATION. EYE: CAUSES SEVERE IRRITATION/BURNS.

Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS

A CARCINOGEN.

Effects of Overexposure:EYE, SKIN, AND GASTROINTESTINAL TRACT IRRITATION EVIDENCED BY LOCAL REDDENING AND POSSIBLE SWELLING. BECAUSE OF ITS IRRITATING PROPERTIES, THIS MATERIAL MAY AGGRAVATE AN EXISTING DERMATITIS.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE SKIN MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYES: FLU

SH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELID. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ADVICE. INHALATION: REMOV E TO FRESH AIR. INGESTION: DO NOT INDUCEVOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GIVE TWO GLASSES OF WATER. GET MEDICAL ATTENTION IMMEDIATELY. THERE IS NO SPECIFIC ANTIDOTE.

========= Fire Fighting Measures ===============

Flash Point Method: PMCC

Flash Point:

368F,187C

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER OR FOAM INTO HOT BURNING POOLS; THIS MAY CAUSE FROTHING AND INCREASE FIRE INTENSITY. PRODUCT MAY PRODUCE FLOATING FIRE HAZARD.

==============

Accidental Release Measures	===========
-----------------------------	-------------

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT; AVOID CONTACT WITH SKIN & EYES! COLLECT FOR DISPOSAL. AVOID DISCHARGE TO SEWERS OR WATERWAYS. A LARGE SPILL COULD DISABLE A WATER TREATMENT PLANT, DUE TO FOAMING AND TOXICIT Y. AVOID DRAINAGE OF LARGE SPILLS TO SEWERS!

=========== Handling and Storage ==============

Handling and Storage Precautions:STORE IN A COOL, DRY, AREA. KEEP CONTAINERS TIGHTLY CLOSED

WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions: EMPTIED CONTAINER RETAINS PRODUCT RESIDUES. DO NOT CUT OR WELD ON OR NEAR CONTAINER.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED RESPIRATOR IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL/TLV. WEAR SELF-CONTAINED BREATHING APPARATUS IF REQUIRED FOR HIGH LEVELS OF CONTAMINATES.

Ventilation:PROVIDE SUFFICIENT VEN TILATION TO MINIMIZE EXPOSURE.

Protective Gloves: CHEMICAL RESISTANT GLOVES

Eye Protection: CHEMICAL SAFETY GLASSES.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. MINIMIZE SKIN CONTACT.

Supplemental Safety and Health

NONE

======== Physical/Chemical Properties ==========

HCC:V2
Boiling Pt:B.P. Text:475F,246C
Vapor Pres:NIL @ 20C
Vapor Density:1
Spec Gravity:0.997
Evaporation

Rate & Description (N-BUTYL ACETATE=1)
Solubility in Water: COMPLETE
Appearance and Odor: YELLOW-GREEN LIQUID, MILD ODOR
Percent Volatiles by Volume:0

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

NORMALLY UNREACTIVE; HOWEVER, AVOID STRONG BASES AT HIGH TEMPERATURES, STRONG ACIDS, AND STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FOUND UPON C OMBUSTION.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSAL SHOULD BE MADE BY INCINERATION IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a nd

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.