View NSN Online: https://aerobasegroup.com/nsn/8010-00-527-3200

KOP-COAT INC -- TT-E-489 CLASS A -- 8010-00-527-3200

Product ID:TT-E-489 CLASS A MSDS Date:11/01/1988 FSC:8010 NIIN:00-527-3200 **MSDS Number: BJLHB** === Responsible Party === Company Name:KOP-COAT INC Address:436 7TH AVENUE City:PITTSBURGH State:PA ZIP:15219-1818 Country:US Info Phone Num:800-556-7737, 412-227-2155 Emergency Phone Num:800-553-5631, CHEMTREC 800-42 4-9300 CAGE:00297 === Contractor Identification === Company Name: KOP-COAT INC Address:436 7TH AVENUE City:PITTSBURGH State:PA ZIP:15219-1818 Country:US Phone:800-553-5631, CHEMTREC 800-424-9300 CAGE:00297

Ingred Name:MINERAL SPIRITS CAS:8051-42-3 Fraction by Wt: < 45% Other REC Limits:NONE SPECIFIED OSHA PEL:500 PPM/2900 MG/M3 ACGIH TLV:100 PPM/525 MG/M3

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS # :ZE2100000 Fraction by Wt: < 2% Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: CO-PRECIPITATE OF: LEAD MOLYBDATE, LEAD CHROMATE & LEAD SULFATE AS LEAD (NIOSH < 0.1 10 HR TWA) CAS:12656-85-8 RTECS #:QA4660000 Fraction by Wt: < 25% Other REC Limits:NONE SPECIFIED OSHA PEL:0.05 MG/M3 ACGIH TLV:0.15 MG/M3 Ingred Name: CO-PRECIPITATE OF: LEAD MOLYBDATE, LEAD CHROMATE & LEAD SULFATE AS AS CHROMIUM (V1) NIOSH - 1 MG CRV1/M3, 1 Spec Gravity:8 - 11 LBS/GAL Evaporation Rate & amp; Reference: < 1 (BUTYL ACET=1) Solubility in Water:SLIGHT Appearance and Odor: ORANGE VISCOUS LIQUID WITH A TYPICAL SOLVENT ODOR Percent Volatiles by Volume:58

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, SPARK, OPEN FLAME. AVOID ACIDS AND REDUCING AGENTS. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON D IOXIDE,

OXIDES OF LEAD AND CHROMIUM.

Waste Disposal Methods: THIS PRODUCT IS A US EPA DEFINED IGNITABLE HAZARDOUS WASTE. DISPOSE OF AS A HAZARDOUS WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoeve r, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.