

CHEMICAL SPECIALISTS & DEVELOPMENT -- TURPENTINE -- 8010-00-246-6445

===== Product Identification =====

Product ID:TURPENTINE

MSDS Date:10/01/1990

FSC:8010

NIIN:00-246-6445

MSDS Number: BJMCB

=== Responsible Party ===

Company Name:CHEMICAL SPECIALISTS & DEVELOPMENT

Address:#5 HACKBERRY LANE

City:CUT & SHOOT

State:TX

ZIP:77303

Country:US

Info Phone Num:409-756-1065

Emergency Phone Num:800-424-9300

Preparer's Name:DAVID SHIPP

CAGE:CHEMS

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS INC

Address:149 WEST TRIGG AVE

City:HARRISBURG

State:NC

ZIP:28075

Country:US

Phone:704-522-0825

CAGE:CHEMS

Company Name:CSD INC. (PRE 1985 NAME: MATHEWS, INC)

Address:420 SEABOARD DRIVE

Box:City:MATTHEWS

State:NC

ZIP:28105-5073

Country:US

Phone:704-821-9822

CAGE:5W216

===== Composition/Information on Ingredients =====

Ingred Name:TURPENTINE

CAS:8006-64-2

RTECS #:YO84000

00

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM; 9192

=====
===== Hazards Identification =====

Health Hazards Acute and Chronic:HEADACHE AND DIZZINESS

Effects of Overexposure:HEADACHE AND DIZZINESS

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES, CALL PHYSICIAN. SKIN:
REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. INHALATION:
REMOVE VICT

IM FROM CONTAMINATED AREA. ADMINISTER ARTIFICIAL
RESPIRATION IF NECESSARY, CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:105 F/41 C

Autoignition Temp:Autoignition Temp Text:488F

Lower Limits:0.8

Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Procedures:COOL CONTAINERS WITH WATER IF EXPOSED TO FIRE

=====
===== Accidental Release Measures =====

Spill Release Pro

cedures:REMOVE SOURCE OF IGNITION. NO SMOKING. FLUSH

AWAY SMALL SPILLS WITH WATER. PUMP LARGE SPILLS TO SALVAGE TANK.

=====
===== Handling and Storage =====

Handling and Storage Precautions:WARNING! FLAMMABLE. KEEP AWAY FROM
OPEN FLAME.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED OR AIR-LINE BREATHING APPARATUS.
IN HIGH VAPOR CONCENTRATIONS.

Ventilation:PREFERRED

Eye Protection:CHEMICAL-SPL

ASH SAFETY GOGGLES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:307F,153C
Vapor Pres:4 MMHG
Spec Gravity:0.864
Evaporation Rate & Reference:1 (BUTYL ACETATE=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:COLORLESS LIQUID, PINEY ODOR
Percent Volatiles by Volume:99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG MINERAL ACIDS, ALUMINUM CHLORIDE, BORON TRIFLUORIDE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE. DISPOSE OF IN ACCORDANCE WITH GOVERNMENT REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.