View NSN Online: https://aerobasegroup.com/nsn/9150-00-530-6814 EUREKA CHEMICAL CO -- FLUID FILM, GEL WRO-EP -- 9150-00-530-6814 Product ID:FLUID FILM, GEL WRO-EP MSDS Date:01/01/1988 FSC:9150 NIIN:00-530-6814 MSDS Number: BJMDH === Responsible Party === Company Name: EUREKA CHEMICAL CO Address:234 LAWRENCE AVE Box:2205 City:SOUTH SAN FRANCISCO State:CA ZIP:94080 Country:US Info Phone Num:415-761-3536 Emergency Phone Num:707-44 8-3069 **CAGE:4E827** === Contractor Identification === Company Name: EUREKA CHEMICAL CO Address:234 LAWRENCE AVE Box:2205 City:SOUTH SAN FRANCISCO State:CA ZIP:94080 Country:US Phone:650-761-3536 CAGE:4E827 ======= Composition/Information on Ingredients ========

Ingred Name:LEAD DIAMYLDITHIOCARBAMATE

CAS:36501-84-5 Fraction by Wt: 1.6%

Other REC Limits: NONE SPECIFIED

Ingred Name: "NOT HAZARDOUS"

Fraction by Wt: 98.4%

Other REC Limits: NONE SPECIFIED

====== Hazards Iden

tification ====================================
LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:EYE/SKIN:MINIMALLY IRRITATING.INHALATION/INGESTION:UNKNOWN.CHRONIC:NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:MAY CAUSE EYE O R SKIN IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INHALATION/INGESTION:NONE SPECIFIED BY MANUFACTURER.GET MEDICAL ATTENTION.EYE:FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN.GET MEDICAL ATTENTION IF IRRITATION OR REDNESS DEVELOPS.SKIN:DO NOT USE GASOLINES,THINNERS OR SOLVENTSTO REMOVE PRODUCT FROM SKIN.WIPE MATERIAL FROM SKIN AND REMOVE CONTAMINATED CLOTHING.WASH WITH SOAP & WATER/WATERLESS CLEANSER.IF IRRITATION/REDNESS,SEE DOCTOR.
======================================
Flash Point Method:COC Flash Point:490F,254C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL, SAND OR EARTH. WATER AND FOAM MAY CAUSE FROTHING. Fire Fighting Procedures:WATER SPRAY MAY BE USEFUL IN MINIMIZING VAPORS AND COOLING CONTAINERS EXPOSED TO FLAMES.AVOID SPREADING BURNING LIQUID WITH WATER.IF

Unusual Fire/Explosion Hazard:THIS MATERIAL WILL BURN, BUT WILL NOT

======== Accidental Release Measures ============

Spill Release Procedures:TRANSFER BULK OF MATERIAL INTO ANOTHER

========== Handling and Storage ==========

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

SAND, EARTH, VERMICULITE.SWEEP UP AND DISPOSE AS SOLID WASTE.

CONTAINER. ABSORB REMAINING RESIDUE WITH PROPER ABSORBENTS SUCH AS

NO RISK, MOVE CONTAINERS OUT

IGNITE READILY.

=====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP CONTAINERS TIGHTLY CLOSED IN UPRIGHT POSITION. KEEP OUT OF THE REACH OF CHILDREN.

Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES (SHOES) THAT CAN NOT BE DECONTAMINATED.

===== Exposure Controls/Personal Protection =======

Respiratory Protection: APPROVED CHEMICAL MECHANICAL FILTER RESPIRATOR.

Ventilation: FORCED AIR WHEN SPRAYING IN CONFINED SPACES.

Protective Gloves: NEOPRENE RUBBER AS REQUIRED.

Eye Protection: SAFETY GLASSES RECOMMENDED.

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Suppleme

ntal Safety and Health

DO NOT GET IN EYES OR ON CLOTHING.

======== Physical/Chemical Properties ==========

HCC:V6

Vapor Pres:8.7 Spec Gravity:0.90

Evaporation Rate & Description R

Appearance and Odor: DARK GRAY, MILD PINEY ODOR

Percent Volatiles by Volume:1.0

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS SUCH AS CHLORINE, BROMINE, HYDROGEN PEROXIDE,
NITRIC ACID

Stability

Condition to Avoid:AVOID SKIN OR EYE CONTACT. AVOID HIGH TEMPERATURES AND OPEN FLAMES.
Hazardous Decomposition Products:DENSE SMOKE, CO2, CO, OXIDES OF SULFUR AND LEAD

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by eleme nts of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.