

CARROLL LTD., INC. -- RAW LINSEED OIL -- 8010-00-656-1639

=====
Product Identification
=====

Product ID:RAW LINSEED OIL

MSDS Date:01/01/1987

FSC:8010

NIIN:00-656-1639

MSDS Number: BJMDT

=== Responsible Party ===

Company Name:CARROLL LTD., INC.

Address:2069 E. SILVER STREET

City:PHILADELPHIA

State:PA

ZIP:19134

Country:US

Info Phone Num:215-739-7613

Emergency Phone Num:215-739-7613

CAGE:LO749

=== C

Contractor Identification ===

Company Name:CARROLL LTD INC

Address:2656 SALMON ST

Box:City:PHILADELPHIA

State:PA

ZIP:19125-4034

Country:US

CAGE:87819

Company Name:CARROLL LTD., INC.

Address:2069 E. SILVER STREET

City:PHILADELPHIA

State:PA

ZIP:19134

Country:US

Phone:215-739-7613

CAGE:LO749

=====
Composition/Information on Ingredients
=====

Ingred Name:RAW LINSEED OIL IS NOT A HAZARDOUS MATERIAL UNDER CURRENT
DEPT. OF LABOR DESIGNATIONS. HOWEVER, RAGS/WASTE CONTAINING *

Othe

r REC Limits:NONE SPECIFIED

Ingred Name:*LINSEED OIL THAT PRESENT A LARGE AIR-OIL INTERFACES WILL
OXIDIZE & CAN IGNITE SPONTANEOUSLY & SHOULD BE HANDLED W/CARE.

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:250 F/121 C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:MUST USE A BLANKETING OR SMOTHERING TYPE OF
EXTINGUISHING MATERIAL

Unusual Fire/Exp

losion Hazard:BEING LIGHTER THAN WATER, DO NOT USE
WATER TO EXTINGUISH FIRES

=====
===== Accidental Release Measures =====

Spill Release Procedures:AS IN ANY TANK STORAGE, DAMS TO CONTAIN
LEAKING OR RUPTURED TANKS ARE RECOMMENDED. IF NOT PRESENT, ANY
SPILL/LEAK CAN BE CLEANED UP W/PUMPS OR SQUEEGEES. IF NECESSARY
AREA CAN FURTHER BE CLEANED WITH WATER & TRISODIUM PHOSPHATE OR
SODA ASH& WATER.

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS NEEDED, IF
STORED OUTSIDE, TANKS SHOULD BE COVERED TO PREVENT CONTAMINATIONS
WITH WATER, DIRT AND ETC.

=====
===== Exposure Controls/Personal Protection =====

Protective Gloves:NOT NECESSARY

Eye Protection:GOGGLES RECOMMENDED

Other Protective Equipment:NOT NECESSARY

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:600F(DECOM)

Vapor Pre

s:0.001/250C
Spec Gravity:0.930-0.935/25C
Solubility in Water:0.005 GRS./100 ML
Appearance and Odor:BROWN YELLOW LIQUID
Percent Volatiles by Volume:.2 MAX

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Conditions to Avoid Polymerization:MAY OCCUR OVER 500 F.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL, STATE AND LOCAL REGULATI
ONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular s
ituation.