

PARKER HANNIFIN CORP -- PAR-GEL -- 4330-01-033-9141

=====
Product Identification
=====

Product ID:PAR-GEL
MSDS Date:01/01/1987
FSC:4330
NIIN:01-033-9141
MSDS Number: BJMHB
=== Responsible Party ===
Company Name:PARKER HANNIFIN CORP
Address:16810 FULTON COUNTY RD 2
City:METAMORA
State:OH
ZIP:43540
Country:US
Info Phone Num:419-644-4311
Emergency Phone Num:419-644-4311
CAGE:05779
=== Contractor Identification ===
Company Name:PARKER HANNIFIN CORP
Address:16810 FULTON COUNTY RD 2
Box:City:METAMORA
State:OH
ZIP:43540
Country:US
Phone:419-644-4311
CAGE:05779

=====
Composition/Information on Ingredients
=====

Ingred Name:CARBOHYDRATE GRAFT COPOLYMER WITH ACRYLIC ACID
Fraction by Wt: 50%

Ingred Name:RESIDUAL ACRYLIC ACID MONOMER 0.01% MAX
Fraction by Wt: 50%

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0220000
Fraction by Wt: BALANCE

=====
Hazards Identific
=====

ation =====

LD50 LC50 Mixture:LD50:(ORAL) 6.6 G/KG (RAT)

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:THE MATERIAL IS NOT A PRIMARY EYE IRRITANT. SKIN:LAMINATE WAS NOT IRRITATING AND NOT A SENSITIZER. INHAL:NO EFFECT EXPECTED.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:EFFECTS OF OVEREXPOSURE ARE NOT KNOWN.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER FOR 15 MINUTES. GET MD IF NEEDED. SKIN:NO EFFECT EXPECTED; WASH W/SOAP AND WATER. INHAL:NONE REQUIRED. INGEST:NOT A LIKELY PROBLEM; LOW TOXICITY. INDUCE VOMITING IF LARGE AMOUNTS ARE INGESTED. GET MD.

===== Fire Fighting Measures =====

Extinguishing Media:WATER FOG, CO*2, DRY CHEMICAL

Fire Fighting Procedures:SAME AS FOR CELLULOSIC PAPER. AUTOIGNITION

TEMPERATURE 900F,490C.

Unusual Fire/Explosion Hazard:SEE ABOVE.

===== Accidental Release Measures =====

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLEAN, DRY LOCATION FOR PROTECTION FROM MOISTURE BECAUSE OF WATER ABSORPTION BY LAMINATE, NOT BECAUSE OF ANY HAZ DUE TO CHEM REACTIVITY.

Other Precautions:LAMINATE

IS NOT A DESICCANT, SO LOW HUMIDITY CONTROL

IS NOT NECESSARY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.

Ventilation:GOOD ROOM VENTILATION USUALLY ADEQUATE FOR MOST OPERATIONS.

Protective Gloves:NONE REQUIRED

Eye Protection:NOT NORMALLY REQUIRED;CHEM WORKERS GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

SOLUBILITY:I

INSOLUBLE IN COMMON ORGANIC SOLVENTS. ESSENTIALLY INSOLUBLE BUT SWELLS IN WATER AND AQUEOUS SOLUTIONS. CONTAINS 3% WATER SOLUBLE MATERIAL (BY WEIGHT).

===== Physical/Chemical Properties =====

Spec Gravity:0.4

Solubility in Water:(SEE SUPP DATA)

Appearance and Odor:WHITE, FREE-FLOWING, GRANULAR POWDER; NO ODOR.
MOISTURE CONTENT 7% MAX.

Percent Volatiles by Volume:3%(WT)

===== Stability and Reactivity Data =====

Stability Indica

tor/Materials to Avoid:YES

CONTACT WITH ACID, BASE, STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:BURN OR BURY IN SANITARY LANDFILL I/A/W FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of De

fense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.