

INTERNATIONAL COATINGS CO -- ICC MAT COATINGS -- 8010-01-066-5635

===== Product Identification =====

Product ID:ICC MAT COATINGS

MSDS Date:01/01/1987

FSC:8010

NIIN:01-066-5635

MSDS Number: BJMHR

=== Responsible Party ===

Company Name:INTERNATIONAL COATINGS CO

Address:13929 F 166TH ST

City:CERRITOS

State:CA

ZIP:90701

Country:US

Info Phone Num:213-926-0747

Emergency Phone Num:213-926-0747

CAGE:INCM

M

=== Contractor Identification ===

Company Name:EXPANDED RUBBER AND PLASTIC CORP

Address:14000 S WESTERN AVE

Box:City:GARDENA

State:CA

ZIP:90249-3008

Country:US

Phone:310-321-4260

CAGE:25598

Company Name:INTERNATIONAL COMMUNICATION

Address:ROUTE 119 SOUTH

Box:386

City:CONNELLSVILLE

State:PA

ZIP:15425

Country:US

Phone:412-628-1014;800-424-9300(CHEMTREC)

CAGE:INCMM

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 50%  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:CYCLOHEXANONE (SARA III)  
CAS:108-94-1  
RTECS #:GW1050000  
Fraction by Wt: 6%  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 25 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:VAPOR IRRITATES EYES, NOSE & THROAT.  
LIQUID WILL DAMAGE EYE TISSUES. LIQUID IS IRRITATING TO SKIN  
CAUSING DERMATITIS.  
Explanation of Carcinogenicity:NOT RELEVANT  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. SEE MD. SKIN:WASH THOROU  
GHLY WITH  
SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES. CALL MD.  
INGEST:GET MD IMMED .

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:21.0F,-6.1C  
Lower Limits:1.8  
Upper Limits:10.0  
Extinguishing Media:DRY CHEMICAL, CO\*2 OR MECHANICAL FOAM  
Fire Fighting Procedures:USE WATER SPRAY TO COOL SURROUNDING MATERIALS  
AND SURFACES. NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE  
EQUIPMENT REQUIRED FOR FIRE FIGHTING PERSONNEL.

Unu

ual Fire/Explosion Hazard:OVERHEATED CONTAINER MAY EXPLODE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ANY SOURCES OF FIRE, SPARKS, OR OTHER IGNITION. CONTAIN SPILLED MATERIAL WITH ABSORBENT MATERIAL OR SAND. TRANSFER TO CLOSED CONTAINERS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID BREATHING MIST AND VAPOR. STORE

IN A COOL DRY AREA PREFERABLY BELOW 90F. KEEP CONTAINERS TIGHTLY SEALED.

Other Precautions:WARNING THESE PRODUCTS ARE FLAMMABLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF NEEDED, A NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPOR AND MIST SHOULD BE WORN.

Ventilation:LOCAL EXHAUST, MECHANICAL (GENERAL) VENTILATION RECOMMENDED.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE AND BEFORE EATING, SMOKING OR USING SANITARY FACILITIES .

Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:174F,79C

Vapor Pres:70

Vapor Density:2.4

Spec Gravity:0.84

Evaporation Rate & Reference:5 (N-BUTYL ACETATE = 1)

Solubility in Water: 20%

Appearance and Odor:SHARP PUNGENT ODOR VARIED

**COLORS**

Percent Volatiles by Volume:80-90%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

**STRONG OXIDIZING AGENTS**

Stability Condition to Avoid:EXPOSURE TO HIGH HEAT, OPEN FLAMES, SPARKS

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,  
HYDROGEN CHLORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF I/A/W FEDERAL, STATE  
AND LOCAL REGULAT  
IONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular  
situation.