

BOEKEL INDUSTRIES INC -- TACKIWAX 11444 000 -- 9160-01-118-7105

=====
Product Identification
=====

Product ID:TACKIWAX 11444 000

MSDS Date:01/01/1988

FSC:9160

NIIN:01-118-7105

MSDS Number: BJMHY

=== Responsible Party ===

Company Name:BOEKEL INDUSTRIES INC

Address:509 VINE ST

City:PHILADELPHIA

State:PA

ZIP:19106-1002

Country:US

Info Phone Num:215-223-2600

Emergency Phone Num:215-223-2600

CAGE:0783

6

=== Contractor Identification ===

Company Name:BOEKEL INDUSTRIES INC

Address:509 VINE ST

Box:City:PHILADELPHIA

State:PA

ZIP:19106-1002

Country:US

Phone:215-627-1611

CAGE:07836

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENT

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

H

Health Hazards Acute and Chronic: MANUFACTURER INDICATES THAT MATERIAL IS ONLY A EYE/SKIN HAZARD WHEN HOT AND MELTED. AVOID EYE/SKIN CONTACT.

Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure: THERMAL BURNS FROM HOT WAX.

Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
First Aid Measures
=====
es

First Aid: EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. TREAT SKIN BURNS FROM MELTED WAX AS THERMAL BURNS.

=====
Fire Fighting Measures
=====

Flash Point Method: CC

Flash Point: 540F, 282C

Autoignition Temp: Autoignition Temp Text: UNKNOWN

Extinguishing Media: USE CARBON DIOXIDE OR DRY CHEMICAL

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures
=====

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT, ELIMINATE SOURCES OF IGNITION, AND VENTILATE AREA AS REQUIRED. ABSORB SMALL SPILL WITH INERT MATERIAL OR DIKE TO RETAIN LARGE SPILL. PLACE WASTE IN DOT APPROVED CONTAINER FOR DISPOSAL.

TILATE AREA AS REQUIRED. ABSORB SMALL SPILL WITH INERT MATERIAL OR DIKE TO RETAIN LARGE SPILL. PLACE WASTE IN DOT APPROVED CONTAINER FOR DISPOSAL.

DOT APPROVED CONTAINER FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM PHYSICAL DAMAGE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection

on:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GLASSES WHEN WORKING WITH HOT WAX

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS MATERIAL IS LISTED AS PART B UNDER THIS NSN. ITS PROPERTIES ARE DIFFERENT FROM PART A UNDER THIS NSN.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:650F,343C

Melt/Freeze Pt:M.P/F.P Text:154F,68C

Spec Gravity:1.05

Solubility in Water:NEGLIGIBLE

Appearance and

Odor:NOT SPECIFIED BY MANUFACTURER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disc

laimner (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.