View NSN Online: https://aerobasegroup.com/nsn/8010-01-293-3799

AKZO COATINGS INC., AEROSPACE FINISHES DIV -- ULTRA COAT BLUE GRAY, CAMOUFLAGE BASE COMP A -- 8010-01-293-3799

============= Product Identification ========================

Product ID:ULTRA COAT BLUE GRAY, CAMOUFLAGE BASE COMP A

MSDS Date:10/11/1990

FSC:8010

NIIN:01-293-3799

Kit Part:Y

MSDS Number: BJMLJ === Responsible Party ===

Company Name: AKZO COATINGS INC., AEROSPACE FINISHES DIV

Address:434 W. MEATS AVE

City:ORANGE

Sta te:CA

ZIP:92665 Country:US

Info Phone Num:313-637-0400

Emergency Phone Num:800-424-9300

CAGE:98502

=== Contractor Identification ===

Company Name: AKZO COATINGS INC

Address:434 W. MEATS STREET

Box:City:ORANGE

State:CA ZIP:92661 Country:US

Phone:714-637-1750; CHEMTREC 800-424-9300

CAGE:98502

======= Composition/Information on Ingredients ========

Ingred Name: N-BUTYL ACETATE (SARA III)

CAS:123-86-4

RTECS #:AF7350000 Fraction by Wt: < 5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:150 P

PM/200 STEL

ACGIH TLV:150 PPM/200STEL;9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: CYCLOHEXANONE (SARA III)

CAS:108-94-1

RTECS #:GW1050000 Fraction by Wt: < 5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: METHYL ISOAMYL KETONE

CAS:110-12-3

RTECS #:MP3850000 Fraction by Wt: 10-25%

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM ACGIH TLV:50 PPM; 9293

Ingred Name: SILICA, CRYSTALLINE - QUARTZ

CA

S:14808-60-7

RTECS #:VV7330000 Fraction by Wt: 50-65%

Other REC Limits: NONE SPECIFIED

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.1 MG/M3 RDUST;9293

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: < 5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 5-20%

Other REC Limits: NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10

MG/M3 TDUST; 9293
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic:IRRITATION OF NASAL, RESPIRATORY, SKIN, EYES, THROAT & GASTROINTESTINAL TRACT; ALSO DERMATITIS, CHEMICAL PNEUMONITIS, DEPRESSANT FOR CENTRAL NERVOUS SYSTEM, DAMAGE TO LIVER, KIDNEYS, & LUNGS. Explanation of Carcinogenicity:CRYSTALLINE SILICA IS LISTED B Y IARC AS A PROBABLE HUMAN CARCINOGEN. Effects of Overexposure:IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, VOMITING, HEADACHES, ASPHYXIATION, DIARRHEA, SKIN & EYE BURNS. Medical Cond Aggravated by Exposure:REPORTS HAVE ASSOCIATED REPEATED
AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.
======================================
First Aid:INHALATION: MOVE TO FRESH AIR. GIVE CPR IF NECESSARY. SKIN CONTACT: WASH WITH SOAP & WATER. EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES, CONSULT PHYSICIAN. INGESTION: DRINK ONE OR TWO GLASSE S OF WATER TO DILUTE. DO NOT INDUCE VOMITING. CONSULT PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. TREAT SYMPTOMATICALLY.
======================================
Flash Point Method:TCC Flash Point:40F/4C Lower Limits:1.1 Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICALS Fire Fighting Procedur es:WATER MAY BE INEFFECTIVE. WATER SHOULD BE USED TO COOL CONTAINERS EXPOSED TO FIRE, FIRE FIGHTING PERSONNEL SHOULD

WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: DECOMP PRODUCTS MAY CAUSE HEALTH HAZ. SYMPTOMS MAY NOT BE IMMED SEEN. OBTAIN MEDICAL ATTENTION. KEEP CONTAINERS CLOSED & AWAY FROM HEAT/ELEC/FLAME; MAY EXPLODE.

======== Accidental Release Measures ===========

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID

======================================
Handling and Storage Precautions:STORE CONTAINERS OUT OF SUN & AWAY FROM HEAT/SPARKS/FLAMES. CLOSE CONTAINERS AFTER EACH USE. CONSULT NFPA CODE FOR ADDITIONAL STORAGE REQUIREMENTS. Other Precautions:USE APPROVED BONDING & GROUNDING PROCEDURES. OBSERVE LABEL PRECAUTIONS. KEEP CLOSURES TIGHT & CONTAINER UPRIGHT TO PREVENT LEAKS. NEVER USE PRESSURE T O EMPTY - DRUM IS NOT A PRESSURE VESSEL. DO NOT WE LD OR FLAME CUT ON EMPTY DRUM. ===================================
Respiratory Protection:ADEQUATE VENTILATION IS REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR DEVICE. IN CONFINED AREAS USE NIOSH/MSHA APPROVED AIRLINE RESPIRATOR OR HOOD. SEE SAFETY EQUIPMENT SUPPLIER FOR EVALUATION & RECOMM ENDATION. Ventilation:PROVIDE SUFFICIENT VENTILATION TO CONTROL CONCENTRATE OF HAZARDOUS INGREDIENTS.** Protective Gloves:REFER TO SAFETY EQUIPMENT SUPPLIER Eye Protection:SAFETY EYEWEAR Other Protective Equipment:USE CHEMICAL RESISTANT APRON Work Hygienic Practices:WASH HANDS BEFORE EATING, SMOKING OR USING WASHROOM. USE EYE BATH, SHOWER, CHEMICAL RESISTANT APRON, BOOTS, AND SHOES. Supplemental Safety and Health ** FOR BAKING FINISHES, EXHAUST VAPORS EMITTED ON HEATING. REMOVE DECOMPOSITION PRODUCTS FORMED DURING WELDING OR FLAME CUTTING OF SURFACES COATED WITH THIS PRODUCT. DO NO T USE THIS PRODUCT UNTIL THE MANUFACTURER'S SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.
======== Physical/Chemical Properties =========
Boiling Pt:B.P. Text:260 TO 312F Vapor Density:> THAN AIR Evaporation Rate & Dercent Volatiles by Volume:35.8
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, S

BREATHING VAPORS. VENTILATE AREA. REMOVE WITH INERT ABSORBENT.

_		
	OVIDES OF	F NITROGEN
	しょいたうしょ	- 131111213131213

======= Disposal Considerations ===========

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL POLLUTION CONTROL REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, exp

ressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.