

DELTA PETROLEUM CO., INC -- AIRCRAFT PISTON ENGINE OIL,MIL-L-22851C,II -- 9150-00-168-6889

=====
Product Identification
=====

Product ID:AIRCRAFT PISTON ENGINE OIL,MIL-L-22851C,II

MSDS Date:05/16/1990

FSC:9150

NIIN:00-168-6889

MSDS Number: BJMWZ

=== Responsible Party ===

Company Name:DELTA PETROLEUM CO., INC

Address:800 RIVER ROAD

City:ST. ROSE

State:LA

ZIP:70087

Country:US

Info Phone Num:303-289

-4483 - DENVER, COLORADO

Emergency Phone Num:504-467-1399 - ST. ROSE, LOUISIANA

Preparer's Name:J.R. SWOAP

CAGE:7A348

=== Contractor Identification ===

Company Name:DELTA PETROLEUM CO., INC

Address:10352 RIVER ROAD,

Box:10397

City:ST. ROSE

State:LA

ZIP:70087

Country:US

Phone:504-832-2732

CAGE:7A348

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by

Wt: 30 - 35%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:HYDROTREATED C25 BRIGHT STOCK BASED LUBRICATING OIL
CAS:72623-83-7
Fraction by Wt: 55 - 60%
Other REC Limits:NONE SPECIFIED

Ingred Name:ADDITIVES PACKAGE
Fraction by Wt: 8 - 12%
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 5,000 MG/KG
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:EYES/SKIN:MINIMALLY
IRRITATING.INHALATION:MINIMALLY IRRITATING IF NOT IN EXCESS OF 5
MG/M3 (OIL MIST).INGESTION:LOW LEVEL OF TOXICITY.CHRONIC:NONE
SPECIFIED BY MANUFACTURER.
Effects of Overexposure:MAY CAUSE EYE, SKIN & RESPIRATORY TRACT
IRRITATION. LOW LEVEL OF TOXICITY, IF SWALLOWED.

=====
===== First Aid Measures =====

First Aid:INHALATION:NONE CONSIDER
RED NECESSARY.EYE:FLUSH WITH WATER FOR
15 MINUTES WHILE HOLDING EYELIDS OPEN.GET MEDICAL ATTENTION IF
IRRITATION PERSISTS.SKIN:NONE CONSIDERED NECESSARY.INGESTION:NONE
CONSIDERED NECESSARY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:490F,254C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, "ALCOHOL" FOAM, OR
DRY CHEMICAL. WATER OR FOAM MAY CAUSE FROTHING.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APP

ROVED SCBA &

FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precauti

ons:STORE IN A COOL DRY PLACE.PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED.WATER CONTAMINATION SHOULD BE AVOIDED.

Other Precautions:AVOID SKIN CONTACT WITH USED MOTOR OILS.USED MOTOR OILS HAVE CAUSED SKIN CANCER IN LABORATORY ANIMALS.IN CASE OF SKIN CONTACT,PROMPTLY WASH THOROUGHLY WITH SOAP AND WATER.OIL-SOILED CLOTHING SHOULD BE CLEANED BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION

EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS. RESPIRATORY PROTECTION NOT ORDINARILY REQUIRED.

Ventilation:ROOM VENTILATION IS ADEQUATE.

Protective Gloves:NEOPRENE RUBBER AS REQUIRED.

Eye Protection:SAFETY GLASSES RECOMMENDED.

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

THIS IS PART B. PART A IS AVIATION OIL 22851 1080 LAD III.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.8871

Appearance and Odor:BRIGHT AND CLEAR, MILD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:HIGH TEMPERATURES

AND OPEN FLAMES

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,
ALDEHYDES AND KETONES, COMBUSTION PRODUCTS OF NITROGEN AND SULFUR

===== Disposal Considerations =====

Waste Disposal Methods: PRODUCT HAS BEEN EVALUATED FOR RCRA
CHARACTERISTICS AND DOES NOT MEET CRITERIA OF A HAZARDOUS WASTE IF
DISCARDED IN ITS PURCHASED FORM.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.