

AMOCO OIL CO -- BEAVERWHITE 325 - PRODUCT # 1655 -- 6810-00-270-9990

=====
Product Identification
=====

Product ID:BEAVERWHITE 325 - PRODUCT # 1655

MSDS Date:01/01/1987

FSC:6810

NIIN:00-270-9990

MSDS Number: BJMXV

=== Responsible Party ===

Company Name:AMOCO OIL CO

Address:200 E RANDOLPH DR MC 1408

City:CHICAGO

State:IL

ZIP:60601-6401

Country:US

Info Phone Num:303-740-5440

Emergency Phone Num:303

-740-5440

CAGE:15958

=== Contractor Identification ===

Company Name:AMOCO OIL CO

Address:200 E RANDOLPH DR

Box:City:CHICAGO

State:IL

ZIP:60601-6401

Country:US

Phone:312-856-3907- EM HLTH: 800 447-8735

CAGE:15958

Company Name:CYPRUS INDUSTRIAL MINERALS CO.

Address:7000 SOUTH YOSEMITE

Box:3299

City:ENGLEWOOD

State:CO

ZIP:80155

Country:US

Phone:800-325-0299

CAGE:4D908

=====
Composition/Information on Ingredients
=====

Ingred Name:TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6

RTEC

S #:WW2710000
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED
OSHA PEL:2 MG/M3 RDUST
ACGIH TLV:2 MG/M3 RDUST; 9192

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MATERIAL EXISTS AS A FINE DUST POWDER.
EYE:IMMEDIATE IRRITATION. INHALATION: CAN CAUSE FIBRIOTIC
PNEUMOCONIOSIS. TARGET ORGANS ARE THE LUNGS AND CARDIOVASCULAR
SYSTEM.
Explanation of Carcinogenicity:MATERIAL IS NOT LISTED AS A CARCINOGEN
WITH NTP, IARC, OR OSHA.
Effects of Overexposure:IRRITATION TO EYES OR UPON BREATHING DUST.
Medical Cond Aggravated by Exposure:CONDITIONS OF THE LUNG OR HEART ARE
LIKELY TO BE AGGRRAVATED BY PROLONGED EXPOSURE.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH AT ONCE WITH COPIOUS AMOUNTS OF WATER FOR 15
MINUTES. INHALATION: REMOVE VICTIM TO FRESH AIR. IF BREA
THING HAS
STOPPED, ADMINISTER ARTIFICIAL RESPIRATION AND SEEK MEDICAL HELP.
INGESTION: SEEK MEDICAL ADVICE.

=====
===== Fire Fighting Measures =====

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures:MATERIAL IS NON-FLAMMABLE. USE NORMAL
PROCEDURE FOR SURROUNDING MATERIAL FIRE.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER. AVOID
BUILD UP OF FINE DUST AS THIS COULD BE AN EXPLOSION HAZARD.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP POWDER AND DISPOSE AS ORDINARY SOLID
WASTE.
Neutralizing Agent:NONE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID CREATION OF DUST.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A RESPIRATOR WITH A CARTRIDGE FILTER TO
FILTER OUT NUISAN

CE DUSTS IN THE 1 MICRON OR LARGER RANGE.

Ventilation:NORMAL MECHANICAL VENTILATION SHOULD BE ADEQUATE. KEEP CONCENTRATIONS BELOW APPLICABLE LEVELS.

Protective Gloves:NOT NORMALLY REQUIRED.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:KEEP DUST GENERATION TO A MINIMUM.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:2.8

pH:9.5

Solubility in Water:INSO

LUBLE

Appearance and Odor:WHITE POWDER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.