

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3201, CLASS B, BLACK, PART A --
8030-00-262-9041

===== Product Identification =====

Product ID:CS 3201, CLASS B, BLACK, PART A

MSDS Date:04/02/1990

FSC:8030

NIIN:00-262-9041

Kit Part:Y

MSDS Number: BJNKP

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Pho

ne Num:8181982-1650

Emergency Phone Num:800-424-9300

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

===== Composition/Information on Ingredients =====

Ingred Name:LIQUID POLYSULFIDE POLYMER (NONE PER 29 CFR 1910.1200)

CAS:68611-50-7

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE ESTABLISHED. POSSIBLE SKIN
IRRITATION AFTER PROLONGED CONTACT, WITH RESULTING DERMATITIS. NO A
PRIMARY SKIN IRRITANT.
Effects of Overexposure:SKIN OR EYE IRRITATION.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN WASH WITH SOAP
AND WATER. INGEST: IND
UCE VOMITING. FOR ANY MEDICAL CONDITION
LISTED ABOVE CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>200F,>93C
Extinguishing Media:USE WATER, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:USUAL FIRE FIGHTING METHODS
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR
REACTION
WITH CURING AGENT. CLEANUP RESIDUE WITH 1,1,1
TRICHLOROETHANE THEN WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM
STRONG ACIDS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.
Ventilation:AIR AND FAN.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.

Work Hygienic Practices:WASH HANDS BEFORE EATING, SMOKING OR DRINKING
AFTER HANDLING. TRAIN EMPLOYEEES IN SAFE HANDLING OF PRODUCT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:ROOM TEMP

Vapor Pres:NIL

Vapor Density:NIL

Spec Gravity:1.5 (H2O=1)

Evaporation Rate & Reference:1 (BUTYL ACETATE=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK PASTE, POLYSULFIDE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND STRONG ACIDS.

Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS SOLID
WASTE PER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.