View NSN Online: https://aerobasegroup.com/nsn/8030-00-275-8110

BAKER SEALANTS AND COATINGS CO -- GOLD BOND POLYSULFIDE SEALANT, X-854

8030-00-275-8110

============ Product Identification =========================

Product ID: GOLD BOND POLYSULFIDE SEALANT, X-854

MSDS Date:03/06/1990

FSC:8030

NIIN:00-275-8110

Kit Part:Y

MSDS Number: BJNKV === Responsible Party ===

Company Name: BAKER SEALANTS AND COATINGS CO

Address: 234 SUYDAM AVE

Box:B

City: JERSEY CITY

State:NJ ZIP:07304 Country:US

In

fo Phone Num:201-333-6986

Emergency Phone Num:201-333-6986 OR 800-424-9300 Preparer's Name:CHARLES FRIEDMAN,TECH DIR

CAGE:34094

=== Contractor Identification ===

Company Name: BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306 Country:US

Phone:201-333-6986

CAGE:34094

Company Name: STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

====== Composition/Information on Ingredi

ents ========

Ingred Name: POLYSULFIDE POLYMER

CAS:68611-50-7

Other REC Limits: AVOID STRONG OXIDIZI

Ingred Name: CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits: NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name: GLYCOL ETHER

CAS:111-46-6

RTECS #: ID5950000

Other REC Limits: NONE SPECIFIED

Ingred Name: BUTYL BENZYL PHTHALATE (SARA III)

CAS:85-68-7

RTECS #:TH9990000

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:100 LBS

DOT

Rpt Qty:100 LBS

Ingred Name: CATALYST CONTAINS LEAD PEROXIDE

CAS:1309-60-0

RTECS #:OG0700000

Other REC Limits: NONE SPECIFIED

========== Hazards Identification ===========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES & SKIN: IRRITANT. INHALATION:

POSSIBLE RESPIRTORY TRACT IRRITANT AND MUCOUS MEMBRANE. INGESTION:

POSSIBLE NAUSEA/VOMITING. EXCESSIVE ABSORPTION OF

LEAD.

Effects of Overexposure:CRAMPING-USUALLY IN LOWER ABODOMEN; MUSCULAR WEAKNESS.

Medical Cond Aggravated by Exposure:KIDNEY DISEASE, ANEMIA AND PREGNANCY. MAY AGGREVATE PRE-EXISTING GENERALLY RECOGNIZED MEDICAL DISORDERS.

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. EYE: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION.

SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE V

======================================
Flash Point:> 212F/ 100C Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:RECOMMENDED USE OF SCBA. WATER MAY BE EXTINGUISHING MEDIA,USE TO KEEP ADJACENT CONTAINERS COOL. AVOID SPREADING BURNING LIQUID W/WATER USE FOR COOLING PURPOSES.
========= Accidental Release Measures ==========
Spill Relea se Procedures:COVER WITH ABSORBANT, SHOVEL INTO CONTAINERS.
============== Handling and Storage ===============
Handling and Storage Precautions: KEEP AWAY FROM IGNITION SOURCES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:MATERIAL HAS A NON-TOXIC SULFIDE ODOR. Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Work Hygienic Practices:WASH THROUGHLY AFTER HANDLING.AVOID INGESTION OF CATALYST. Supp lemental Safety and Health
========= Physical/Chemical Properties ==========
Melt/Freeze Pt:M.P/F.P Text:NIF Spec Gravity:1.546 (H20=1) Viscosity:10-35 Solubility in Water:INSOLUBLE Appearance and Odor:BLACK VISCOUS LIQUID & SULFIDE ODOR Percent Volatiles by Volume:0
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:TEMPERATURE IN EXCESS OF 480 F(250 C) Hazardous Decomposition Product

VICTIM IS CONSCI OUS, GET IMMEDIATE MEDICAL ATTENTION.

OMITING IF

======= Disposal Considerations ===========

Waste Disposal Methods:LEAD CONTAINING PRODUCT-SEGREGATE AND RETURN TO SMELTER FOR RECLAMATION OR DISPOSAL IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly o

r implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.