View NSN Online: https://aerobasegroup.com/nsn/8030-00-291-1787

BAKER SEALANTS AND COATINGS CO -- SEALING COMPOUND -- 8030-00-291-1787

Product ID:SEALING COMPOUND

MSDS Date:03/16/1988

FSC:8030

NIIN:00-291-1787

MSDS Number: BJNLB === Responsible Party ===

Company Name: BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City: JERSEY CITY

State:NJ ZIP:07304 Country:US

Info Phone Num:201-333-6986 Emergency Phone Num:201-3

33-6986

Preparer's Name: CHARLES FRIEDMAN, TECH DIR

CAGE:34094

=== Contractor Identification ===

Company Name: BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306 Country:US

Phone:201-333-6986

CAGE:34094

Company Name: STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

====== Composition/Information on Ingredients ========

Ingred Name:PIGMENTS Fraction by Wt: 54%

Other

REC Limits:NONE SPECIFIED Ingred Name: VEHICLE Fraction by Wt: 28-32% Other REC Limits: NONE SPECIFIED Ingred Name: ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 14-16% Other REC Limits: NONE SPECIFIED OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192 Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Health Hazards Acute and Chronic: IRRITATION OF EYES, NOSE, THROAT. THREASHOLD LIMI T VALUE: 400 PPM. Effects of Overexposure: HEADACHES, NAUSEA AND DIZZINESS. First Aid:REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION, FLUSH EYES WITH WATER, CALL A PHYSICIAN. ============ Fire Fighting Measures ========================= Flash Point Method:COC Flash Point: 60.0F, 15.6C Lower Limits:2.0 Upper Limits:12.0 Extinguishing Media: FOG, CARBON DIOXIDE, ALCOHOL FOAM, OR DRY CHEMICAL. ======= Acc idental Release Measures ========== Spill Release Procedures:WEAR RESPIRATORY PROTECTION. ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP AWAY FROM HEAT, SPARKS AND FLAME. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: AIR PACK OR ORGANIC CANISTER. Ventilation: AS REQUIRED. Work Hygienic Practices: AVOID CONTACT WITH SKIN. Supplemental Safety and Health

====== Physical/

Chemical Properties =========
Boiling Pt:B.P. Text:IPA-180 Vapor Pres:IPA-33 Vapor Density:IAP-2.07 Spec Gravity:1.52 Evaporation Rate & Deference: 1.44 Solubility in Water:PARTIALLY SOLUBLE Percent Volatiles by Volume: 28.9
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS
====== Disposal Considerations ==========
Waste Disposal Methods:NORMAL WASTE DISPOSAL.
Disclai mer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

mer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.