View NSN Online: https://aerobasegroup.com/nsn/7930-00-515-2477

Product ID:LIQUID HARD SURFACE CLEANER

MSDS Date:11/01/1988

FSC:7930

NIIN:00-515-2477

MSDS Number: BJNLV === Responsible Party ===

Company Name: ADVANCD CLEANING PRODUCTS, INC

Address:3841 W. WISCONSIN AVE

City:MILWAUKEE

State:WI ZIP:53208 Country:US

Info Phone Num:414-344-0880

Emer

gency Phone Num:414-344-0880 Preparer's Name:MARK S. HALASKA

CAGE:0CGB1

=== Contractor Identification ===

Company Name: ADVANCD CLEANING PRODUCTS, INC

Address:3841 W. WISCONSIN AVE

Box:City:MILWAUKEE

State:WI ZIP:53208 Country:US

Phone:414-344-0880

CAGE:0CGB1

======= Composition/Information on Ingredients ========

Ingred Name: THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE PRESENT IN THIS PRODUCT.

RTECS #:9999999ZZ

Other REC Limits: NONE SPECIFIED



Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CORROSIVE LIQUID WILL BURN
EYES/SKIN/RESPIRATORY TRACT. MAY LEAD TO SKIN DERMATITIS.
INGESTION OF LIQUID OR MIST WILL CAUSE SEVERE IRRITATION TO MUCOUS
MEMBRANES, MOUTH, THROAT AND GASTORINTESTINAL T RACT.

Explanation of Carcinogenicity: THE MANUFACTURER DOES NOT MENTION THAT ANY COMPONENTS

OF THIS PRODUCT SHOW ANY EVIDENCE OF BEING CARCINOGENIC.

Effects of Overexposure:OVEREXPOSURE MAY LEAD TO RESPIRATORY IRRITATION, NAUSEA, FATIGUE, DIZZINESS, HEADACHES, UNCONSCIOUSNESS, DERMATITIS AND EYE IRRITATION. MATERIAL IS CORROSIVE AND WILL BURN EXPOSED TISSUE. INGESTION MAY RESULT IN ASTHMA-LIKE REACTIONS (WHEEZING, COUGHING AND SHORTNESS OF BREATH).

Medical Cond Aggravated by Exposure:PERSONS WITH A SKIN DISORDER SHOULD USE CAUTION WHEN HANDLING OR USING THIS P RODUCT.

======= Firs	st Aid Measures	
--------------	-----------------	--

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: DRINK LARGE AMOUNTS OF WATER/JUICE TO DILUTE. SEEK MEDICAL HELP.

=====		
=====	Fire Fighting Measures	

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL AS APPROPRIATE FOR SURROUNDINGS.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

====== Accide

ntal Release Measures ==========
Spill Release Procedures:CONTAIN SPILL AND VACUUM RECOVER TO A SEPTIC TANK TRUCK. DO NOT ALLOW RUNOFF TO A SEWER UNLESS MATERIAL IS DILUTED AND NEUTRALIZED WITH DILUTE ACID SOLUTION. Neutralizing Agent:5% ACETIC ACID (VINEGAR)
======================================
Handling and Storage Precautions:STORE IN A COOL, VENTILATED WORK AREA. KEEP CONTAINERS CLOSED WHEN NOT IN USE. PREVENT FROM FREEZING. Other Precaut ions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR FOR HANDLING MIST IF PROLONGED CONTACT WITH MATERIAL. Ventilation:ADEQUATE ROOM VENTILATION SUFFICIENT TO MEET TLV. Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER GLOVES Eye Protection:CHEMICAL SAFETY GOGGLES WITH SIDE SHIELD Other Protective Equipment:CHEMICAL APRON IS RECOMMENDED. FULL RUBBER BOOTS RE COMMENDED. DO NOT WEAR THIN RUBBER COVERS OVER LEATHER SHOES. Work Hygienic Practices:DO NOT TAKE INTERNALLY. AVOID SKIN CONTACT. WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK
AREA. Supplemental Safety and Health CORROSIVE LIQUID - AVOID CONTACT. FUMES OF HEATED MATERIAL ARE IRRITATING.
========= Physical/Chemical Properties ============

HCC:B3 Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.0 pH:9.9 Solubility in Water:COMPLETE Appearance an

========= Stability and Reactivity Data ==========	
Stability Indicator/Materials to Avoid:YES	
STRONG OXIDIZING AGENTS AND STRONG ACIDS	
Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.	

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN

d Odor:CLEAR AMBER LIQUID WITH NEUTRAL ODOR

======= Disposal Considerations ===========

Waste Disposal Methods:WASTE DILUTED AND NEUTRALIZED LIQUID COULD BE FLUSHED TO A WASTE WATER TREATMENT SYSTEM VIA THE SEWER OR GIVEN TO A LICENSED DISPOSAL CONTRACTOR. CONFORM TO ALL APPLICABLE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.