

BOLT INC -- DAMPING FLUID, SILICONE BASE. -- 9150-00-584-3134

=====  
Product Identification  
=====

Product ID:DAMPING FLUID, SILICONE BASE.

MSDS Date:06/01/1988

FSC:9150

NIIN:00-584-3134

MSDS Number: BJNWN

=== Responsible Party ===

Company Name:BOLT INC

Box:1208

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Info Phone Num:207-883-5541

Emergency Phone Num:207-883-5541

Preparer's Name:N.J. HILL

CAGE

:0DR30

=== Contractor Identification ===

Company Name:BOLT INC

Box:1208

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Phone:207-883-5541,CHEMTREC 800-424-9300

CAGE:0DR30

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILICON FLUID

CAS:63148-62-9

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:GREATER THAN 5 G/KG

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogeni

city:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE:NON-IRRITATING TO SLIGHTLY  
IRRITATING. SKIN:NON-IRRITATING.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:HUMAN EXPERIENCE WITH THIS SILICONE FLUIDS HAS NOT INDICATED  
ANY SERIOUS EFFECTS RELATED TO EXPOSURE BY ANY ROUTE. DIRECT EYE  
CONTACT CAN CAUSE A TRANSITOR  
Y IRRITATION BUT IS NOT INJURIOUS.  
THIS IRRIT ATION MAY PERSIST FOR UP TO 24 HOURS.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:>275F,>135C  
Extinguishing Media:DRY CHEMICAL, WATER SPRAY, FOAM, CARBON DIOXIDE.  
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED  
BREATHING APPARATUS. UNDER FIRE CONDITIONS IRRITATING AND/OR TOXIC  
VAPORS OR GASES MAY BE PRESENT.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUF  
ACTURER.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WIPE UP MATERIAL. RESIDUE IS SLIPPERY. APPLY  
SAWDUST OR SWEEPING COMPOUND TO AREA OF SPILL TO MINIMIZE SLIP.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
Exposure Controls/Personal Prot  
ection  
=====

Respiratory Protection:NONE REQUIRED UNDER NORMAL, RECOMMENDED  
CONDITIONS OF USE.  
Ventilation:NO SPECIAL PRECAUTIONS.  
Protective Gloves:PLASTIC OR RUBBER GLOVES.  
Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

=====  
Physical/Chemical Properties  
=====

HCC:V6  
Bo

iling Pt:B.P. Text:>572F,>300C  
Melt/Freeze Pt:M.P/F.P Text: