View NSN Online: https://aerobasegroup.com/nsn/6810-00-227-0437 CARGILL SALT, LESLIE SALT CO. -- SALT -- 6810-00-227-0437 ============ Product Identification ========================= Product ID:SALT MSDS Date:08/01/1985

FSC:6810

NIIN:00-227-0437

MSDS Number: BJPYR === Responsible Party ===

Company Name: CARGILL SALT, LESLIE SALT CO.

Box:364

City:NEWARK

State:CA ZIP:94560 Country:US

Info Phone Num:612-475-6581

Emergency Phone Num:612-476-1127 Preparer's Name: NATIONAL TECH DIR

CAGE:KO700

=== Contractor Identification ===

Company Name: CARGILL SALT, LESLIE SALT CO.

Box:364

City:NEWARK

State:CA ZIP:94560 Country:US

Phone:612-475-6581

CAGE:KO700

Company Name: LESLIE SALT CO DIV OF CARGILL INC

Address:7220 CENTRAL AVE

Box:364

City:NEWARK

State:CA

ZIP:94560-4206 Country:US

Phone:510-797-1820

CAGE:13229

====== Composition/Information on Ingredients ========

Ingred Name: SODIUM CHLORIDE

CAS:7647-14-5 RTECS #: VZ4725000

Other REC Limits: NONE SPECIFIED

Hazards Identification =============
Effects of Overexposure:INHALATION:MAY CAUSE MILD IRRITATION OF NOSE & THROAT. INGESTION:LARGE AMOUNTS (GREATER THAN 0.1 POUND) MAY CAUSE GASTROINTESTINAL UPSET. SKIN:DUST MAY CAUSE MILD IRRITATION. & EYES:DUST MAY CAUSE IRR ITATION.
======================================
First Aid:SKIN: WASH WITH WATER. & EYES:IRRIGATE WITH PLENTY OF WATER.
======================================
Flash Point:NONE Fire Fighting Procedures:N/K. *(PH: 6.5-9.5, 20% SOLUTION)
======== Accidental Release Measures =========
Spill Release Procedures:SHOVEL UP DRY MATERIAL INTO AN EMPTY CONTAINER. FLUSH RESIDUE WITH WATER DOWN LOCAL SEWER.
============= Handling and Storage ==============
Handling and Storage Precautions:WET OR DAMP CONDITIONS CAN CAUSE CAKING & CORROSION OF METAL CONTACT SURFACES. AVOID EYE CONTACT OR PROLONGED SKIN CONTACT. STORE IN COOL, DRY AREA.
Other Precautions:NO SPECIAL CAUTIONS OR LABELING ARE REQUIRED.
====== Exposure Controls/Personal Protection =========
Respiratory Protection:WHEN REQUIRED, USE A RESPIRATOR APPROVED BY NIOSH FOR PRODUCT DUSTS. Ventilation:LOCAL EXHAUST IF DUSTY CONDITIONS PREVAIL. Protective Gloves:GLOVES ARE OPTIONAL Eye Protection:CHEM SAFETY GOGGLES IF EXTREMELY DUSTY
Other Protective Equipment:WEAR LONG-SLEEVE SHIRTS & TROUSERS FOR ROUTINE PRODUCT HAN DLING.
Supplemental Safety and Health THIS PRODUCT IS NOT FOR FOOD OR DRUG USE UNLESS MATERIAL IS LABELED "FOOD GRADE," "USP GRADE," OR "NF GRADE," AS APPLICABLE. (FDA REGULATIONS APPLY TO FOOD USE & USP/NF GRADES (21 CFR). USDA REGULATIO NS APPLY TO USE IN MEAT & POULTRY PRODUCTS)
=========== Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:2669F,1465C Melt/Freeze Pt:M.P/F.P Text:1472F,800C Vapor Pres:2.4@746.9C Spec Gravity:2.16 pH:* Solubility

=======================================	Stability and Reactivity Data =========
Stability Indicator/Mate	rials to Avoid:YES
NONE PROVIDED THE	
Stability Condition to Av	void:WET/DAMP CONDITIONS CAN CAUSE CAKING &
CORROSION	
Hazardous Decomposit	tion Products:NONE

Appearance and Odor: WHITE CRYSTALLINE SOLID. SLIGHT SALINE ODOR.

in Water:26.395 MAX @ 60F

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSAL MUST COMPLY WITH FEDERAL, STATE & LOCAL DISPOSAL OR DISCHARGE LAWS. FLUSH TO SEWER IF PERMITTED BY APPLICABLE DISPOSAL REGULATIONS. NOT A "HAZARDOUS WASTE".

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.