View NSN Online: https://aerobasegroup.com/nsn/9160-00-253-1171

Product ID:BEEWAX N.F. MSDS Date:05/28/1986 FSC:9160 NIIN:00-253-1171 MSDS Number: BJPZG === Responsible Party === Company Name: KOSTER KEUNEN, INC. Address:90 BOURNE BLVD City:SAYVILLE State:NY ZIP:11782 Country:US Info Phone Num:516-589-0456 Emergency Phone Num:516-589-0456 CAGE:59148 === Contractor Identific ation === Company Name: KOSTER KEUNEN, INC. Address:90 BOURNE BLVD City:SAYVILLE State:NY ZIP:11782 Country:US Phone:516-589-0456 CAGE:59148

Ingred Name:ESTERS Fraction by Wt: 70.0% Other REC Limits:NONE SPECIFIED

Ingred Name:HYDROCARBONS Fraction by Wt: 13.0% Other REC Limits:NONE SPECIFIED

Ingred Name:FATTY ACIDS Fraction by Wt: 12.0% Other REC Limits:NONE SPECIFIED

Ingred Name:FATTY ALCOHOLS Fraction by Wt: 4.0% Other REC Limits:NONE SPECIFIED

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED) Fraction by Wt: 1.0% Other REC Limits:NONE SPECIFIED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:VAPORS AND MIST FROM MOLTEN WAX MAY CAUSE IRRITATION OF EYES,SKIN AND RESPIRATORY TRACT;REDNESS OR BURNS OF EYES ARE POSSIBLE.
Explanation of Carcinogenicity:DATA PER MGF MSDS.
Effects of Overexposure:S
EE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NONE NOTED

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION IMMEDIATELY.

Flash Point Method:COC Flash Point:>464F,>240C Extinguishing Medi a:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:NONE EXPECTED

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; ALLOW TO COOL AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID EXTREME HEAT. Other Precautions:WASH THOROUGHLY AFTER EACH USE.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NORMALLY NOT REQUIRED WITH AN ADEQUATE VENTILATION. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves: IMPERVIOUS Eye Protection:SAFETY **GLASSES/GOGGLES** Other Protective Equipment: PROTECTIVE CLOTHINGS. EYE-WASH FACILITIES, SAFETY SHOWER. Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE; DO NOT EAT, DRINK, SMOKE. Supplemental Safety and Health USE AS DIRECTED. HCC:N1 Boiling Pt:B.P. Text:>500F,>260C Melt/Freeze Pt:M.P/F.P Text:144F,62C Spec Gravity:0.92 Solubility in Water: INSOLUBLE

Appearance and Odor:YELLOW TO WHITE COLORED SOLID WITH CHARACTERISTIC ODOR

Stability Indicator/Materials to Avoid:YES NONE NOTED Stability Condition to Avoid:EXTREMELY HIGH TEMPERATURES Hazardous Decomposition Products:OXIDES OR CARBON AND OTHER ORGANIC COMPOUNDS DUE TO COMBUSTION.

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN

ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the sui tability of this information to their particular situation.