

BAKER SEALANTS & COATINGS COMPANY -- ADHESIVE, X-817 -- 8040-00-682-6817

=====
Product Identification
=====

Product ID:ADHESIVE, X-817

MSDS Date:06/20/1988

FSC:8040

NIIN:00-682-6817

MSDS Number: BJQFD

=== Responsible Party ===

Company Name:BAKER SEALANTS & COATINGS COMPANY

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304

Country:US

Info Phone Num:201-333-6955 (FAX)

Emergency Ph

one Num:201-333-6986

CAGE:FO833

=== Contractor Identification ===

Company Name:BAKER SEALANTS & COATINGS CO., INC.

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Phone:(201) 333-6986

CAGE:FO833

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAG

E:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:VEHICLE
Fraction by Wt: 17%
Other REC Limits:NONE SPECIFIED

Ingred Name:SOLVENTS
CAS:64742-86-5
RTECS #:LX3296500
Fraction by Wt: 83%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Effects of Overexposure:EYES: SEVERE IRRITATION AND REDNESS. SKIN:CAN
CAUSE DERMATITIS. INHALATION: CAN CAUSE
RESPIRATORY IRRITATION.

=====
First Aid Measures
=====

First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER.
INGESTION: DO NOT INDUCE VOMITING. INHALATION: REMOVE INDIVIDUAL TO
FRESH AIR. OBTAIN MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:50F/10C
Extinguishing Media:FOAM, CO2 OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion
Hazard:REMOVE ALL IGNITION SOURCES.

=====
Accidental Release Measures
=====

Spill Release Procedures:SHOVEL INTO CONTAINER. PREVENT RUN OFF TO
SEWERS. ELIMINATE ALL SOURCES OF IGNITION. NOTIFY THE PROPER
AUTHORITIES.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM SPARKS AND OPEN FLAME.
AVOID PROLONGED BREATHING OF VAPORS.
Other Precautions:ALL HAZARD PRECAUTIONS IN THIS DATA SHEET MU

ST BE
OBSERVED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: AIR SUPPLIED RESPIRATOR
Ventilation: MECHANICAL
Protective Gloves: WEAR CHEMICAL RESISTANT GLOVES.
Eye Protection: WEAR SAFETY GLASSES.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity: 0.83
Solubility in Water: INSOLUBLE
Appearance and Odor: CLOUDY/PUNGENT ODOR

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid: STRONG OXIDIZING AGENTS

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF AS PER FEDERAL, STATE AND LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied
, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.