View NSN Online: https://aerobasegroup.com/nsn/7930-01-129-1128 TRION, INC. -- TRI-DEX MSP-21 -- 7930-01-129-1128 ============= Product Identification ======================== Product ID:TRI-DEX MSP-21 MSDS Date:08/01/1990 FSC:7930 NIIN:01-129-1128 MSDS Number: BJQJC === Responsible Party === Company Name:TRION, INC. Box:760 City:SANFORD State:NC ZIP:27330 Country:US Info Phone Num:919-775-2201 Emergency Phone Num:919-775-2201 CAGE:NO008 === Contractor Identification === Company Name:T **RION INC** Address: RT 4 MCNEIL RD Box:City:SANFORD State:NC ZIP:27330-9804 Country:US CAGE:95802 Company Name:TRION, INC. Box:760 City:SANFORD State:NC ZIP:27330 Country:US Phone:919-775-2201 CAGE:NO008 ====== Composition/Information on Ingredients ======== Ingred Name: SODIUM METASILICATE CAS:6834-92-0 RTECS #:VV9275000 Fraction by Wt: 5.68% Other REC Limits: NONE SPECIFIED

=========== Hazards Identification ==============

Reports of Carcinogenicity:NTP:NO IA

======================================
First Aid:EYE CONTACT:FLUSH EYES WITH LARGE VOLUME OF WATER, GET PROMPT MEDICAL ATTENTION. SKIN CONTACT:WASH WITH WATER. IF PERSISTENT IRRITATION OCCURS, GET MEDICAL ATTENTION. INGESTION:GIVE LARGE Q
UANTITIES O F WATER OR MILK & CALL PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITING.
=========== Fire Fighting Measures ============
Flash Point Method:PMCC Flash Point:NONE Fire Fighting Procedures:N/K. (PH: 12.0 TO 12.3)
======== Accidental Release Measures ==========
Spill Release Procedures:DILUTE & FLUSH AREA WITH WATER.
============= Handling and Storage =============
Handling and Storage Precautions:AVOID PROLONGED PHYSICA L CONTACT OF PRODUCT WITH SKIN, EYES OR INTERNAL TISSUES. Other Precautions:READ PRECAUTIONARY LABEL BEFORE USING PRODUCT. WASH THOROUGHLY BEFORE EATING, SMOKING OR USING TOILET.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE Ventilation:AVOID USING IN CLOSED, INADEQUATELY VENTILATED AREAS. Protective Gloves:PLASTIC OR RUBBER GLOVES PREFERRED. Eye Protection:GOGGLES FOR EYE PROTECTION. Other Protective Equipment:OTHER EQUIPMENT AS NECESS

Explanation of Carcinogenicity:NO
Effects of Overexposure:EYE IRRITATION: MECHANICAL-BY DIRECT CONTACT.
PROLONGED PHYSICAL CONTACT MAY CAUSE IRRITATION OR BURNS TO SKIN,
EYES OR INTERNAL TISSUES.

RC:NO OSHA:NO

ARY TO MINIMIZE  CONTACT WITH SKIN, EYES & STREET CLOTHES.  Supplemental Safety and Health
Supplemental Safety and Fleatin
========= Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:223F,106C Vapor Pres:40 MM Vapor Density:.80 4 G/L Spec Gravity:1.11 pH:* Solubility in Water:INFINITE Appearance and Odor:CLEAR, SLIGHTLY PLEASANT ODOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACIDS Stability Condition to Avoid:SLIPPER Y WHEN SPILLED
======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE & FEDERAL ORDINANCES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.