View NSN Online: https://aerobasegroup.com/nsn/9150-01-326-5424

Product ID: JET-LUBE AP-5 (MCMASTER-CARR 1062K97) MSDS Date:05/14/1986 FSC:9150 NIIN:01-326-5424 **MSDS Number: BJQKX** === Responsible Party === Company Name: JET-LUBE INC Address:4849 HOMESTEAD RD Box:21258 **City:HOUSTON** State:TX ZIP:77226-1258 Country:US Info Phone Num:713-674-7617 Emergency P hone Num:713-674-7617 Preparer's Name:V.T.WILCOX CAGE:07431 === Contractor Identification === Company Name: JET-LUBE INC Address:4849 HOMESTEAD RD Box:21258 City:HOUSTON State:TX ZIP:77026 Country:US Phone:713-674-7617 CAGE:07431 Company Name: MCMASTER-CARR SUPPLY CO (U.S.A.DISTRIBUTOR) Address:600-COUNTY LINE ROAD City:ELMHURST State:IL ZIP:60126 Country:US Phone:708-834-9600 CAGE:39428

Ingred Name: RESIDUAL OILS, HYDROTREATED

CAS:64742-57-0 Fraction by Wt: 90% Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:MOLYBDENUM DISULFIDE CAS:1317-33-5 RTECS #:QA4697000 Fraction by Wt: 10% Other REC Limits:NONE SPECIFIED OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO O
SHA:NO
Health Hazards Acute and Chronic:REPEATED SKIN CONTACT FOR PERSONS HYPERSENSITIVE TO PETROLEUM PRODUCTS CAN CAUSE REDNESS AND IRRITATION OF SKIN.
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:REDNESS AND IRRITATION OF SKIN.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:INHALATION: CLEAR AIR PASSAGE. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION. EYE: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOA P & WATER/WATERLESS CLEANER. REMOVE CONTAMINATED CLOTHING. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS REQUIRED. GET MEDICAL ADVICE.

================== Fire Fighting Mea

Flash Point Method:COC Flash Point:561F,294C Autoignition Temp: Autoignition Temp Text:>599F Lower Limits:0.9 **Upper Limits:7** Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:NONE ============== Accidental Release Meas Spill Release Procedures: SCOOP UP EXCESS GREASE. WIPE UP WITH RAGS, PICK-UP RESIDUE WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD. CLEAN AREA WITH APPROPRIATE CLEANER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions:NORMAL PRECAUTIONS AS WITH ANY PETROLEUM PRODUCT. Other Precautions: MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINK ING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES (SHOES) THAT CAN NOT BE DECONTAMINATED. Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED. Ventilation:NONE NORMALLY REQUIRED. Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:SAFETY GLASSES RECOMMENDED. Other Protective Equipment:PERSONS WITH HYPERSENSITIVE SKIN SHOULD USE GLOVES. Work Hygienic Practices:WASH HANDS BEFORE EATING. Supplemental Safety and Health DO NOT GET IN EYES OR ON CLOTHING.

HCC:V6 Boiling Pt:B.P. Text:826F,441C Vapor Pres:5 Spec Gravity:0.90 Viscosity:GREASE Evaporation Rate & amp; Reference: