View NSN Online: https://aerobasegroup.com/nsn/6850-00-145-0255

ARDROX INC -- ARDROX 996/P300A -- 6850-00-145-0255

Product ID:ARDROX 996/P300A

MSDS Date:02/01/1990

FSC:6850

NIIN:00-145-0255

Kit Part:Y

MSDS Number: BJQMJ === Responsible Party === Company Name:ARDROX INC Address:16961 KNOTT AVE

City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Info Phone Num:714-739-2821

Emergency Phone Num:714-739-2821

Preparer's Name: SHEREE

L. KINZEL CAGE:23373

=== Contractor Identification ===

Company Name: BRENT AMERICA, INC.

Address:16961 KNOTT AVE.

Box:City:LA MIRADA

State:CA

ZIP:90638-6015 Country:US

Phone:714-739-2821

CAGE:23373

======= Composition/Information on Ingredients ========

Ingred Name: NONYLPHENOL POLYETHOXATE/ALKYL PHENOL ETHOXYLATE

CAS:9016-45-9

RTECS #:MD0900000 Fraction by Wt: 13%

Other REC Limits: NONE SPECIFIED

Ingred Name: AROMATIC NAPHTHA

CAS:64741-68-0 Fraction by Wt: 75% Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST

========= Hazards Identification ==============

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY TRACT. ACUTE- EYES/SKIN:IRRITATION. INHALE:IRRITATION. ORAL:INTENSE BURNING OF THROAT FOLLOWED BY DROWSINESS, NUMBNESS, CONVULSIONS & DEATH (SEVERE INGESTION). GE NERAL

:LOW LEVEL OF TOXICITY &

IRRITATION. CHRONIC- ASPIRATION CAN CAUSE CHEMICAL PNEUMONITIS, EDEMA, HEMORRHAGE.

Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:SKIN MAY BECOME BLUISH. HEART RATE MAY BECOME ELEVATED. COUGHING, CHOKING, AND GAGGING MAY BE SYMPTOMATIC OF ASPIRATION.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INC REASED RISK FROM EXPOSURE.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCEVOMITING UNLESS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING TO AN UNCONS CIOUS

PERSON.


========= Fire Fighting Measures =============

Flash Point Method:PMCC Flash Point:>200F.>93C

Extinguishing Media: CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE BUT CAN CAUSE FROTHING.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. D



========= Accidental Release Measures ============

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT, ELIMINATE SOURCES OF IGNITION, AND VENTILATE AREA AS REQUIRED. ABSORB SMALL SPILL WITH INERT NON-COMBUSTIBLE INORGANIC MATERIAL. DIKE LARGE SPILLS AND PREVENT RUNOFF TO SEWE R/WATERWAYS. PLACE WASTE IN DOT APPROVEDCONTAINER

Neutralizing Agent: NOT RELEVANT

 Handling and	l Storage	=======================================

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER CLOSED. PROTECT FROM PHYSICAL DAMAGE. KEEP FROM FREEZING.

Other Precautions:DO NOT REUSE STORAGE CONTAINERS FOR ANYTHING ELSE.
KEEP CONTAINERS TIGHTLY CLOSED. KEEP FROM DIRECT SUNLIGHT AND AWAY
FROM WELDING, GRINDING AND DRILLING ACTIVITIES. GROUND ALL
EQUIPMENT. DON'T USE AR OUND FOOD, DRINK OR WHEN SMOKING.

====== Exposure Controls/Person al Protection ========

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. SCBA MAY BE NEEDED IN CONFINED AREAS.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE. SOME USE MAY REQUIRE EXPLOSION-PROOF LOCAL VENTILATION.

Protective Gloves: CHEMICAL RESISTANT IMPERMEABLE GLOVES.

Eye Protection:SAFETY

GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

KEY1:J7. THIS PRODUCT IS A KIT CONSISTING OF THREE PARTS.

CLEANER/REMOVER HAS PNI F, PENETRANT HAS PNI D AND DEVELOPER HAS PNI E, SAME NSN.

FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A, B AND C, SAME NSN.

HCC:V2

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:400F,204C

Spec Gravity:1.00

particular situation.

Solubility in Water: APPRECIABLE

Appearance and Odor:DEEP RED MOBILE LIQUID WITH SOLVENT ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIG
H TEMPERATURES, SPARKS, AND OPEN FLAMES
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE AND
OTHER POSSIBLE OXIDES.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS. MANUFACTURER INDICATES USING A SPECIALIST DISPOSAL COMPANY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elem ents of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their