

CHEMICAL COMMODITIES AGENCY, INC. -- WELD-ON 28 COMPONENT-PART B -- 8040-00-266-0815
===== Product Identification =====

Product ID:WELD-ON 28 COMPONENT-PART B

MSDS Date:03/15/1990

FSC:8040

NIIN:00-266-0815

Kit Part:Y

MSDS Number: BJQPY

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346

Country:US

Info Phone Num:71

4-864-2310

Emergency Phone Num:714-864-2310

CAGE:60777

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

===== Composition/Information on Ingredients =====

Ingred Name:BENZOYL PEROXIDE

CAS:94-36-0

RTECS #:DM8575000

Fraction by Wt: 55%

Other REC Limits:NONE SPECIFIED

Ingred Name:PHILEGMATIZER

Fraction by Wt: 45%

Other REC Limits:NONE S

PECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:NAUSEA,DIZZINESS,DROWSINESS,SKIN SENSITIZER MAY PRODUCE CHAPPING AND MILD DERMATITIS. IRRITATING TO EYES, NOSE AND THROAT.

=====
===== First Aid Measures =====

First Aid:SKIN CONTACT:WASH THOROUGHLY WITH SOAP AND WATER.EYE CONTACT:FLUSH WITH WATER IMMEDIATELY FOR 15 MINUTES AND GET MEDICAL

ATTENTION.INHALATION:COVER PATIENT.PROVIDE PLENTY OF FRESH AIR AND CALL A PHYSI CIAN.KEEP PATIENT QUIET.IF SWALLOWED:INDUCE VOMITING AND CALL A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Lower Limits:0.6

Upper Limits:3.5

Extinguishing Media:COPIOUS AMOUNTS OF WATER, WATER FOG, DRY CHEMICALS, FOAM OR CO2 EXTINGUISHERS.

Fire Fighting Procedures:EVACUATE AREA & APPLY WATER FROM SAFE DISTANCE TO COOL DOWN SURROUNDING AREA.IF FIRE OCCURS NEAR P EROXIDE,WATER

THE PEROXIDE CONTAINERS TO KEEP FROM OVERHEATING

Unusual Fire/Explosion Hazard:BENZOYL PEROXIDE IS AN OXIDIZING MATERIAL. KEEP AWAY FROM ALL SOURCES OF HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP SPILL IMMEDIATELY.FLUSH WITH WATER.ELIMINATE ALL IGNITION SOURCES.USE SELF CONTAINED BREATHING APPARATUS AND OTHER PROTECTIVE EQUIPMENT.AVOID EXPOSURE OF PERSONNEL TO TOXIC CONCENTRATIONS OF VAPORS.

===

=====
===== Handling and Storage =====

Handling and Storage Precautions:I.C.C. CLASSIFICATION;FLAMMABALE LIQUID:RED LABEL. STORE IN COOL, DARK AREAS BELOW 70 DEGREES F AND AWAY FROM SOURCES OF HEAT.

Other Precautions:FOLLOW RECOMMENDATIONS ON LABELS AND LITERATURE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NECESSARY IF ADEQUATE VENTILATION IS PROVIDED. IF USED IN CONFINED AREAS, USE CHEMICAL RESPIRATOR

FOR

ORGANIC VAPORS E.G. MSA#459433.

Ventilation:LOCAL EXHAUST SUFFICIENT TO KEEP CONCENTRATIONS BELOW 100 PPM.MECHANICAL (GENERAL) LOW POINT.6 AIR CHANGES PER HOUR.

Protective Gloves:RUBBER

Eye Protection:SPLASH PROOF CHEMICAL GOGGLES

Other Protective Equipment:OVERALLS OR NEOPRENE APRONS.

Work Hygienic Practices:SAFETY SHOWER NEAR WORKING AREA.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:0.5609

Solubility in Water:N

OT SOLUBLE

Appearance and Odor:FINE WHITE GRANULES

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CORROSIVE TO ALUMINUM,MAGNESIUM,PLEXIGLAS & OTHERS.SHOULD BE STORED IN STAINLESS STEEL,GLASS OR POLYETHYLENE CONTAINERS.

Stability Condition to Avoid:FIRE OR ABNORMAL TEMPERATURES OR CONTACT WITH OXIDIZING MATERIALS.

Hazardous Decomposition Products:GENERATES HEAT THROUGH POLYMERIZATION WHEN MIXED WITH OXIDIZING MATERIALS.

Conditions to Avoid Polymerization:METHYL METHACRYLATE MIGHT BE FORMED WITH ABNORMAL TEMPERATURES OR SUNLIGHT OR WITH THE ADDITION OF OXIDIZING MATERIALS.

===== Disposal Considerations =====

Waste Disposal Methods:THE MATERIAL SHOULD NOT BE ALLOWED TO DRAIN INTO DOMESTIC SEWERS.MINOR SPILLS CAN BE WASHED WITH WATER AND DISCHARGED INTO STORM SEWER.FOLLOW LOCAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.